CHEMOSPHERE

SUBJECT AND AUTHOR INDEX

Volume 16, 1987



Pergamon Press: Oxford New York

Beijing Frankfurt São Paulo Sydney Tokyo Toronto

EXECUTIVE EDITOR

Dr. T. Stephen, 8 Lewis Close, Risinghurst, Headington, Oxford OX3 &JD. U.K.

POLICY BOARD

Chemistry and Biochemistry

- Professor O. Hutzinger (Alfreda Hutzinger, Editorial Secretary), University of Bayreuth, Chair of Ecological Chemistry and Geochemistry, Postfach 3008, D-8580 Bayreuth, G.F.R.

Biology

Dr. J. Norris (Director of Group Research, Cadbury Schweppes Ltd.), The Lord Zuckerman Research Centre, The University, Whiteknights, P.O. Box 234, Reading RG6 2LA, U.K.

Ecotoxicology
— Dr. W. Klein, Fraunhofer-Institut für Umweltchemie und Ökotoxikologie, Grafschaft/Hochsauerland, D-5948 Schmallenberg, G.F.R.

Pharmaceutical Organic Chemistry
— Dr. K. Takeda, Shionogi Research Laboratory, Fukushima-ku, Osaka, Japan

Toxicology

- Professor S. Safe, Veterinary Physiology and Pharmacology, Texas A and M University, College Station, TX 77843, U.S.A.

PARTICIPATING BOARD

Chemistry and Biochemistry

Prof. Dr. K. Ballschmiter, Universität Ulm (MNH), Abteilung Analytische Chemie, Oberer Eselberg 0 26, D-7900 Ulm, G.F.R. Prof. T. F. Bidleman, Department of Chemistry and Marine Science Program, University of South Carolina, Columbia, SC 29208. U.S.A.

Dr. R. E. Clement, Ontario Ministry of the Environment, P.O. Box 213, Resources Road, Rexdale, Ontario, Canada M9W 2L1 Dr. W. Giger, Swiss Federal Institute of Technology, Institute for Water Research and Water Pollution Control (EAWAG), CH-8600 Dubendorf, Switzerland

Dr. F. Hileman, Monsanto Company, 800 N Lindbergh Boulevard, St Louis, MO 63167, U.S.A.

Prof. R. A. Hites, School of Public and Environmental Affairs, 400E 7th Street, Indiana University, Bloomington, IN 47405, U.S.A.

Prof. Dr. P. M. Huang, Saskatchewan Institute of Pedology, University of Saskatchewan, Saskatoon, Canada S7N 0W0 Dr. M. A. K. Khalil, Oregon Graduate Center, 19600 N.W. Von Neumann Drive, Beaverton, OR 97006-1999, U.S.A.

Mr. D. W. Kuehl, US Environmental Protection Agency, Duluth, MN 55804, U.S.A.

Prof. D. Mackay, Department of Chemical Engineering, University of Toronto, Canada M5S 1A4

Dr. T. Mill, Stanford Research International, 333 Ravenswood

Avenue, Menlo Park, CA 94025, U.S.A. Prof. A. A. Moghissi, PO Box 7166, Alexandria, VA 22307, U.S.A.

Prof. Dr. H. Parlar, Gesamthochschule Kassel-Universität, Fachbereich 19 Biologie/Chemie, Heinrich-Plett-Strasse 40, D-3500 Kassel, G.F.R.

Prof. C. Rappe, Department of Organic Chemistry, University of Umea, S-901 87 Umea, Sweden

Prof. Dr. H.-R. Schulten, Fachhochschule Fresenius, Department of Trace Analysis, Dambachtal 20, D-6200 Wiesbaden,

Dr. G. Sundström, Health and Environmental Sciences, Dow Chemical Europe, CH-8810 Horgen, Switzerland

Prof. Dr. P. R. Wallnöfer, Bayerische Landesanstalt für Ernährung, Menzinger Strasse 54, D-8000 München, G.F.R. Dr. V. Zitko, Program Head, Fisheries Environmental Research, Fisheries and Environmental Sciences, Department of Fisheries and Oceans, Biological Station, St. Andrews, New Brunswick, Canada EOG 2X0

Biology

Dr. A. G. Catroux, Laboratoire de Microbiologie des Sols, 7 Rue Sully, 21 Dijon, France

Prof. G. D. Floodgate, Department of Marine Biology, Marine Science Laboratories, Menai Bridge, Anglesey LL59 5EH, U.K.

Prof. C. Nalewajko, Scarborough College, University of Toronto, West Hill, Ontario, Canada M1C 1A4

Ecotoxicology

Dr. G. C. Butler, 4694 West 13th Avenue, Vancouver, British Columbia, Canada V6R 2V7

Prof. Dr. D. Calamari, Istituto di Entomologia, Facoltà di Agraria, Università degli Studi di Milano, Via Celoria 2, 1-20133 Milano, Italy

Dr. W. Ernst, Institut für Meeresforschung, Amhandelshaven 12, D-2850 Bremerhaven, G.F.R.

Prof. M. Goto, Institute of Ecotoxicology, Gakushuin University, Faculty of Science, 151 Merjiro, Toshima-Ku, Tokyo 171, Japan

Dr. P. C. Kearney, Chief, Pesticide Degradation Laboratory, Agricultural Environmental Quality Institute, U.S. Department of Agriculture, Beltsville, MD 20750, U.S.A.

Prof. F. Schmidt-Bleek, OECD 2, Rue André-Pascal, F-75775 Paris Cedex 16, France

Prof. R. Truhaut, Université de Paris, 4 Avenue Del Observatory, Centre Faculté de Pharmacie, F-75006 Paris 6, France

Pharmaceutical Organic Chemistry

Dr. C. Harinasuita, The CCB/TROMPMED Central Office, 420/6 Rajvithi Road, Bangkok 4, Thailand

Dr. C. Mitoma, Stanford Research Institute, 333 Ravenswood Avenue, Menlo Park, CA 94025, U.S.A.

Dr. J. W. Bridges, University of Surrey, Institute of Industrial and Environmental Health and Safety, Guildford, Surrey GU2 5XH, U.K.

Prof. J. V. Bruckner, Division of Toxicology, University of Houston, Health Science Center, Houston, Texas, U.S.A. Dr. V. H. Freed, Oregon State University, Head of Department of Agricultural Chemistry, Corvallis, OR 97331, U.S.A.

Prof. N. Imura, School of Pharmaceutical Sciences, Kitasato University, 9-1 Shirokane 5 chome, Minato-ku, Tokyo 108, Japan

Prof. Dr. J. H. Koeman, Agricultural University, Bio-technion de Dreijen, 12/7603 BC Wageningen, The Netherlands Dr. E. Takabatake, Satsunan University, Faculty Pharmaceutical Sciences, 45-1 Nagaotoge-cho, Hirakata, Osaka 573-01; Japan

Published monthly. Copyright © 1987 Pergamon Journals Ltd.

Subscription and Advertising Enquiries

Subscription and advertising enquiries from customers in North America should be sent to: Pergamon Journals Inc., Maxwell House, Fairview Park, Elmsford, NY 10523, U.S.A., and for the remainder of the world to: Pergamon Journals Ltd., Headington Hill Hall, Oxford OX3 0BW, U.K.

Annual Subscription Rates 1988 (including postage and insurance)

Annual institutional subscription rate (1988) DM 850.00. Two year institutional rate (1988/89) DM 1615.00. Personal subscription rate for those whose library subscribes at the regular rate (1988) DM 228.00. Prices are subject to change without notice.

Microform Subscriptions and Back Issues

Back issues of all previously published volumes are available in the regular editions and on microfilm and microfiche. Current subscriptions are available on microfiche simultaneously with the paper edition and on microfilm on completion of the annual index at the end of the subscription year.

It is a condition of publication that manuscripts submitted to this journal have not been published and will not be simultaneously submitted or published elsewhere. By submitting a manuscript, the authors agree that the copyright for their article is transferred to the publisher if and when the article is accepted for publication. However, assignment of copyright is not required from authors who work for organisations which do not permit such assignment. The copyright covers the exclusive rights to reproduce and distribute the article including reprints, photographic reproductions, microform, or any other reproductions of similar nature, and translations. No part of this publication may be reproduced, stored in a retrieval system or transmitted in any form or by any means, electronic, electrostatic, magnetic tape, mechanical, photocopy ing, recording or otherwise, without permission in writing from the copyright holder

SUBJECT INDEX 1987

Corrigendum

Bargagli R., Barghigianai C. and Maserti B.E.: 15, 1035 (1986): on p.1039 Fig 1 should be followed by text on p.1040 and Fig2 on p.1040 should be followed by text on p.1039, the corrected form is published, 3

Bennett W.E., Maas J.L., Sweeney S.AS. and Kagan J.: 15, 781 (1986): the page that should have appeared after p.782 is reproduced, 5

Hemming J., Reunanen M. and Kronberg L.: 15, 549 (1986): reference to synthesis of synthetic mutagen provided, 6

Hoff R.M. and Chan K.-W.: 15, 449 (1986): unit conversion error on p.451 and total flux to Arctic

ocean corrected, 6
Kuehl D.W., Cook P.M., Battermanm
A.R., Lothenbach D. and
Butterworth B.C.: 16, 667
(1987): correction to Table 7,
1327

Absorption

effluents, dye-containing, colour removal by bentonites, 2523

Accumulation

tissue-, and enhanced toxicity of 1,2,4,5-isomer of tetrachlorobenzene not related to its lipophilicity, 803

Acidity

south Swedish soils, changes in acidity and cation pools between 1949 and 1985, 2239

Adsorption

aminotris(methylenephosphonate), environmental fate, degradability, sludge adsorption, mobility in soils and bioconcentration, 1323 chloridazone by montmorillonite,

hydrophobic chemicals from water, hypothesis for mechanism of particle concentration effect, 745

onto activated C and neutron activation analysis, analysis of total organic C1- and Br-compds in water samples, 969 phenol onto silstone, effect of solution factors, 1431

Aerosols

atmospheric-, identification of C₆-C₁₅ Y-lactones, 1143

Agriculture

soft tissue sarcomas, mortality among agricultural workers, 2101 soft tissue sarcoma risk among agricultural and forestry workers in Sweden, 2107

Alcohols

and ketones and alicyclic compds, biodegradability-quantitative structure relationships, 695 octanol-water partition coeffs using reverse phase high pressure liquid chromatography, 133

Algae

and fish, exact mass measurement of organoarsenic compds using fast atom bombarment mass spectrometry, 91 concentration factors in activated

concentration factors in activated sludge, algae and fish, environmental hazard profile of 'C' labelled organic compds tested, 589

Hylocomium splendens, elemental composition, 2631
Scenedesmus obliquus, naphthalenesulphonic acids as source of sulphur, 1565

aminotris(methylene phosphonate), degradability, sludge adsorption, mobility in soils and bioconcentration, 1323

and bioconcentration, 1323 chloroaniline, effect on plankton in freshwater systems, 581 cyanogen chloride, formation in reaction of monochlorinated, mononitrated or monocarboxylated benzenes, phenols and anilines with chloramine and polymethylphenols, polychlorophenols and polynitrophenols with chloramine, 2249

Analysis

2,3,7,8-TCDD and PCDDs, evaluation in fly ash from refuse incinerators, 1865 2,3,7,8-TCDD, detn in human

2,3,7,8-TCDD, detn in human adipose tissue on whole weight and lipid bases, 935

2,3,7,8-TCDD, estimation of human exposure, 1851 a QSAR-, Ah receptor binding of

a QSAR-, Ah receptor binding of substituted aryl hydrocarbons, 1719

atmospheric levels of chlorinated organic compds, 1781

atrazine in underground waters in parts per trillion levels, early warninms method for contamination and soil distribution, 1425

biotransformation kinetics of xenobiotics in natural waters by aufwuchs communities, 49 brominated flame retardants,

brominated flame retardants, pyrolysis and GC/MS in on-line operation, 1353 C₆-C₁₅ Y-lactones, identification

in atmospheric aerosols, 1143 cars run on leaded petrol, polychlorinated dibenzofurans and dioxins in exhaust fumes, 29 chain-saw exhaust, new strategy

for monitoring exposure, 99 CIR-FTIR interfacial-, photocatalytic degradation of toxic organic compds on TiO₂ aqueous suspensions, 1447

criteria for choosing a least squares procedure to extract parameters from exponential decays, 79

dioxins and related compds from municipal incinerators in Japan, 1901

environmental technology, ion flotation, 623 halogenated polycyclic aromatic

hydrocarbons in air, snow and automobile exhaust, 2441 human fat sampling for dioxin,

in vitro induction of AHH by 2,3,7,8-TCDD and related toxic halogenated aryl hydrocarbons in rate hepatoma cells for quantitative detn of toxins, 791

isomerspecific-, of pentachlorophenol and sodium pentachlorphenate for 2.3.7.8substituted PCDD and PCDF at

sub-ppb levels, 1759 levels of polychlorinated quaterphenyl congeners in adipose tissue of normal subjects, 1419

metal fallout, perennial herbs as minitors, 233

methyl parathion, biotic and abiotic degradation rates in fresh water, estuarine water and sediment, 1509
new-, by high resolution emission

ectroscopy, aromatic polycyclic hydrocarbons in environmental samples, 485

of deaths among patients with Yusho, 2085 organic chemicals, release into

air, water and soil, 117
PCB congener-, critical evaluation
of toxic levels in biota, 2585 PCBPs in human adipose tissue by NCI mass spectrometry and PCBPs synthesis, structural characteristics of 2,3,6,7-TCBP,

PCDD and PCDF in motor oils and waste oils, 1649

polychlorinated biphenyl residues in fish and shellfish in Tapei,

polychlorinated dibenzo-pl-dioxins and dibenzofurans, detn of isomers from incinerators,

related samples in Japan, 195 refined-, to detect and measure PCDD/PCDF, PAH, PCB,CB and CP in environmental samples, 1619

selective and sensitive-, of

nitro-PAH, 945 TCDD levels in human adipose tissue distribution, statistical evaluations reflect misleading interpretations, 2135 total organic C1- and Br-compds in

water samples, adsorption onto activated C and neutron activation analysis, 969

toxicity of alkylating agents, alternative for nitrobenzylpyridine test, 2365

tributyltin chloride present in sea water, solid phase extraction, GC separation and EC detection, 61

Animals see also Fish

animal exposure to TCDD contaminated soil, potential residues in derived foods, 2123

animal toxicology and biochemical effects, dioxins and dibenzofurans, recent findings and comments on pharmaco-

kinetics, 2191 biota, critical evaluation of toxic levels, PCB congener

analysis, 2585
C57BL/6 and DBA/2 mice, 2,3,7,8TCDD AHH induction activity,
effect of receptor antagonist, 1,3,6,8-tetrachlorodibenzofuran, 1739

C57BL/6 and DBA/2 mice, 2,3,7,8-TCDD, AHH induction activity, effects of receptor modulators,

cattle and men, environmental Hg, correlation between contamination and leukaemia, 253

feral pigeons, chlorodibenzo-p-dioxins in, 1749

Holstein dairy cows, bioavail-ability of administered tritiated 2,3,7,8-tetrachloro-dibenzo-p-dioxin 1743 mouse hepatoma cells, transmission

and scanning microscopic characterisation after treatment

with 2,3,7,8-tetrachloro-pdibenzodioxin, 1713

PCB methyl sulphones and related compds, identification of target cells and tissues in different

species, 1671 persistent environmental chemicals, bio-indicators for monitoring the spread, 225

rabbits, effect of sodium fluoride on erythrocyte membrane function, reference to metal ion

transport, 1087 rats, mechanism for stimulated fecal excretion of 2,3,4,7,8-pentachlorodibenzofuran by treatment with squalene and

liquid paraffin, 1707 rats, poisoned with Ni, effect of chelating drugs on pharmacokinetics and metabolic disposition, 259 rats, presence of PCDDs and PCDFs

dependent on vehicle used as

carrier, 1193
rats, role of Ah receptor in
mediating down regulation of
uterine and hepatic estrogen

receptor levels, 1691 snails from Pensacola bay, Florida near hazardous-waste site, presence of creosote compds, 2397

trichlorobiphenyl metabolism in different test species, 599

Anisoles see under Ethers

Antibodies

chlorinated dioxins, immunoassay based on monoclonal antibody and an enzyme linked immunosorbent assay, 1635

PCB methyl sulphones, physicochemical and immunochemical characterisation of a binding protein, 1677

Aquatic organisms

<u>Daphnia magna</u>, a predictive
structure-toxicity model, 1149

Aquatic Systems

aquatic environment, evaluation of 2,4,6-trichlorophenol with mathematical model, 2531

Abu Kir bay, environmental conditions, physicochemical characteristics and water circulation. 361

Abu Kir bay, environmental conditions, plankton distribution from land based effluents, 559

aquatic environment, oxidative photoinduced degradation of silicones, 2567

aquatic microecosystems, method to assess periodic responses to photosynthetic inhibition, 287

natural waters, biotransformation kinetics of xenobiotics by aufwuchs communities, 49

eastern Adriatic coast, impact of pollution on copepod community, 369

freshwater, estuarine water and sediment, biotic and abiotic degradation rates of methyl parathion, 1509 freshwater systems, controlled

release formulations of pesticides and herbicides, 615

freshwater systems, effect of chloroaniline on plankton, 581 Guadiamar river and Guadalquivir estuary, heavy metal pollution, 463

gulf of Isekenderun, long-term impact of dissolved and dispersed hudrocarbons, 381

gulf of Iskenderun, Hg and Sn in, 445

gulf of Trieste, eastern part, bacteriological contamination due to sewage disposal, 551

hydrocarbon fuel spill dispersion on water, literature review,

Kupa river, yugoslavia, PCBs in water, sediments and fish, 2351 lake Pontchartrain, Louisiana, heavy metals from municipal

runoff to sediments, 2579

Mamara sea, pollutants and problems, 339 Mediterranean beaches of Israel, association between seawater pollution measured by bacterial indicators and morbidity among

bathers, 565 Mediterranean sea, spatial and temporal variation of pelagic tar, 399

Mediterranean, coordinated programme for research and monitoring of pollution, 633 natural waters, bisphenol

degradation, 1501 natural waters, photoreactivity of humic acid, 523

natural waters, preconcentration of heavy metals with hydrazones supported on silica-gel, 405 northeastern Greece, ecological

parameter of surface water, northeastern Mediterranean, tin distribution, 429

photoinduced formation of oxygen species and their reaction with organic chemicals in soln, 505

Po river delta lagoon, trophic state gradients and zooplankton and zoobenthos distribution, 571

polluted stream, sediment physicochemical properties and benthic organisms, effect of high-levels of polycyclic aromatic hydrocarbons, 1053

polybrominated biphenyl ethers in marine fish, shellfish and river and marine sediments, 2389

river Rhone, imput of nutrients and suspended matter into Golfe du Lion, 417

rivers and lakes of northern Greece, heavy metal pollution, 455

sea water, tributyltin chloride presence, solid phase extraction, GC separation and EC detection, 61 sorption of hydrophobic chemicals

from water, hypothesis for mechanism of particle concentration effect, 745 upper Hudson river, sedimentation

of 74 PCB congeners, 733 water systems in morthern Greece, correlation of some organic

pollution factors, 395 watercourse pollution, sources in Italy and mediterranean France, assessed by macrophytes,

Wisconsin river, contaminated sediment, bioavailability of PCDDs and PCDFs to fresh water fish, 667

Assays see Bioassays

Atmosphere

air, water and soil, release of organic chemicals, 117 conifer needles, organic micropollutants, occurrence and distribution, 2647 environmental measurements with

atmosperic Hg-monitor having speciation capabilities, 183 erythrocyte membrane, nitrogen dioxide-induced dammage, 2371

halogenated polycyclic aromatic hydrocarbons, analysis in air, snow and automobile exhaust,

identification of C6-C15 Y-

lactones in atmospheric aerosols, 1143 incinerator testing and evaluation programme, air pollution control technology in Canada, 1923

level of chlorinated organic compds, 1781

mancozeb in air, determination, occupational exposure in control of potato late blight, 2423

PCBs, q- and Y-hexachloro-cyclohexane, 4,4'-DDE and 4,4'-DDT in Continental air, 2497

PCDDs and PCDFs in air, particulates, sediments and soil. 1775

trichlorofluoromethane, residence time in polyurethane foams, variability, trends and effects of temp, 759

Automobiles

halogenated polycyclic aromatic hydrocarbons, analysis in air, snow and automobile exhaust,

PCDD and PCDF in motor oils and waste oils, analysis, 1649 PCDD and PCDF in motor oils, refined oils and contaminated soils, 1847

run on leaded petrol, polychlorinated dibenzofurans and dioxins in exhaust fumes, 29

Bacteria see also Microorganisms

bacteria, characterisation with phenol-oxidase activity from soil in La Laguna area, Spain,

bacterial indicators, measurement of seawater pollution on Mediterranean beaches of Israel, association with morbidity among bathers, 565

bacteriological contamination, sewage disposal in eastern part of gulf of Trieste, 551

Cd distribution on cells, protective effect of different envelopes, marine bacterial investigation, 2623

Benzene derivatives see also Hydrocarbons

chloronitrobenzenes, photodegradation in aqueous soln in presence of TiO₂, 809 dichlorobenzene, particulate

associated partial combustion products, 973

polychlorobenzenes, environmental photoincorporations of into humic model monomers, 495

tetrachlorobenzene isomers, partition coeffs of between water and sodium dodecylsulphate micelles, enhanced toxicity and tissue accumulation of 1,2,4,5 isomer not related to its lipophilicity, 803

tetrachlorobenzene-related compds, synthesis, characterisation and chromatography, 2467

Bioaccumulationm

plant foliage, accumulation and release kinetics, exposure to a-and Y-HCH, p.p-DDT and DDE and PCB mixture, 2515

Bioacti vity

and phototoxicity, occurrence and synthesis of phenylheptatriyne,

2405

Bioassays 2,3,7,8-TCDD equivalents,

validation of in vitro bioassays, 1723 chlorinated dioxins, immunoassay based on monoclonal antibody and an enzyme linked immunosorbent assay, 1635

in vitro induction of AHH by 2,3,7,8-TCDD and related toxic halogenated aryl hydrocarbons in rate hepatoma cells for quantitative detn of toxins, 791

Bioavailability

isomer dependent-, of PCDDs and PCDFs from incinerator flyash to fresh water fish, 657

of PCDDs and PCDFs to fresh water fish from contaminated Wisconsin river sediment, 667

of polycyclic aromatic hydrocarbons, from coal-derived solid product, leaching

study, 2613 of tritiated 2,3,7,8-tetrachlorodibenzo-p-dioxin administered to Holstein dairy cows, 1743

PCDDs and PCDFs in rats dependent on vehicle used as carrier, 1193

Bioconcentration see also Concentration

aminotris(methylene phosphonate), degradability, sludge adsorption, mobility in soils

and bioconcentration, 1323 and distribution of penta-chlorophenol in different human tissues, 887

bioconcentration kinetics, 1,4,5tri- and 3,3',4,4'-tetrachloro-biphenyl and 2,4,5-tri- and 3,3',4,4'-tetrachlorodiphenyl ether in fish, 2379

chloroanisoles, uptake and elimination by fish, 953

partition coeffs of n-octanol-water of organic environmental chemicals in humans, correlation with their bioconcentration potential, 239

PCB concentration, relationship to age of striped bass in Hudson river and Long island sound, 1469

Biodegradation

assessment, toxicity evaluation of substances, 2259 biodegradability-quantitative structure relationships for alcohols, ketones and alicyclic

compds, 695 kinetics, effect of membrane

permeation of hydrophobic compds, 1361 marine animals, soluble organoarsenic compds, microbial degradation of arsenbetaine,

methyl parathion, biotic and abiotic degradation rates in fresh water, estuarine water and sediment, 1509

of hexamethylenetertamine, 1555 tests for poorly soluble compds, 833

utimate degradability of dyes, 1539

critical evaluation of toxic levels, PCB congener analysis, 2585

occurrence and distribution of toxic coplanar PCBs, 1965 toxic coplanar PCBs, occurrence and distribution, 1965

Biotransformation

kinetics of xenobiotics in natural waters by aufwuchs communities,

Biphenvls

1,4,5-tri- and 3,3',4,4'tetrachlorobiphenyl and 2,4,5-tri- and 3,3',4,4'-tetrachloro-diphenyl ether in fish, bioconcentration kinetics, 2379 3.4-CDB, photocatalytic

degradation on TiO, aqueous suspensions, 1447 74 PCB congeners, sedimentation in

upper Hudson river, 733 accelerated debromination by photolysis with sodium

borohydride, 1013 analysis of deaths among patients with Yusho, 2085

and brominated diphenyl ethers, plastic mixtures of these compds, formation of PBDF and

PBDD, by pyrolysis, 277 halogenated PCB-analogs causing Yusho-like skin eruptions, 2069 PCB concentration in Hudson river

and Long island sound, relationship to age of striped bass, 1469

PCB concentrations, soil from central and southern Wales, 1583 PCB congener analysis, critical evaluation of toxic levels in biota, 2585

PCB electrical equipment fires, criteria for public health decision making, French experience, 2129

PCB liquid waste incinerators, measurement of combustion products, 1889 PCB methyl sulphones and related

compds, identification of target cells and tissues in different species, 1671

PCB methyl sulphones, physico-chemical and immunochemical characterisation of a binding protein, 1677

PCB methylsulphone, synthesis, differences in mass and PMR spectroscopy, 2299 CB transformer and capacitor

fires, formation of chlorinated combustion products, 1881 transformer incident,

Binghamton state office, 1981-1987, 2155

PCB, hydroxymethylsulphone metabolites in Yusho patients, 2033

PCB-metabolite, binding protein, characterisation in bronchoalveolar lavage from healthy smokers and non-smokers,

PCBPs synthesis, structural characteristics of 2,3,6,7-TCBP and analysis for PCBPs in human adipose tissue by NCI mass spectrometry, 2057 PCBs in oil from water pumps

submerged in wells, health hazard, 37

PCBs in water, sediments and fish of Kupa river, yugoslavia, 2351 PCBs, a- and Y-hexachloro-cyclohexane, 4,4'-DDE and 4,4'-DDT in Cintinental air, 2497

PCBs, non-ortho substituted, detn

in kanechlors, arochlors and environmental samples, 1631 photoreaction in water containing nitrite or nitrate ions, 1289 polybrominated diphenyl ethers,

biphenyls, dibenzodioxins and - dibenzofurans, PVC-induced Cl-Br

exchange during pyrolysis, 297 polychlorinated-, congeners, fingerprint in samples of human subcutaneous adipose tissue, 2315

polychlorinated-, residues in fish and shellfish in Tapei, 1835 polychlorinated-, and organo-Cl pesticides in human milk during

lactation, 1301 refined analysis to detect and measure PCDD/PCDF, PAH, PCB,CB and CP in environmental samples,

toxic coplanar PCBs in biota occurrence and distribution,

trichlorobiphenyl metabolism in different test species, 599 YCDD and PCB, volatility in soil,

Yusho patients, aryl hydrocarbon hydroxylase activity, 2073

Boron compounds

sodium borohydride, photolytic accelerated debromination of biphenyls, 1013

Carbamates

bis phenyl-, photochemistry in aqueous soln, 513 mancozeb in air, determination,

occupational exposure in control of potato late blight, 2423 photosynthesis inhibitory

activity-structure quantitative relationships in three carbamate series, 1347

Carbohydrates

aromatic and aliphatic n-alkyl glucuronides, synthesis and comparison with glucuronides from bile of fish exposed to No 2 fuel oil, 1381

Carboxylic acids

2,4,5-trichlorophenoxyacetic acid and 2,4,5-trichlorophenol, sunlight degradation in oxygenated aqueous suspensions of TiO₂, 1165 halogenated organic acids,

characterisation in flue gases from municipal incinerators,

Carcinogenesis

2,3,7,8-TCDD, estimation of human exposure, 1851 benz[a]anthracene, biogeochemistry

at se 2429 sediment water interface,

chlorinated dioxins, comparison of risk assessments by A.D.I.-values and by incremental cancer risk estimates, 2141

fluoranthene, light-dependent cytotoxicity, oxygen-dependent membrane damage, 2417

halogenated polycyclic aromatic hydrocarbons, analysis in air, snow and automobile exhaust, 2441

polycyclic aromatic hydrocarbons from water distribution pipes, comparison of mutagenicity and

leaching, 2595 polycyclic aromatic hydrocarbons, bioavailability from coalderived solid product, leaching

study, 2613 soft tissue sarcoma case control study among industrial chemical workers, 2095

soft tissue sarcoma risk among agricultural and forestry workers in Sweden, 2107

soft tissue sarcomas, mortality among agricultural workers, 2101

south Swedish soils, changes in acidity and cation pools between 1949 and 1985, 2239

Chemicals

"C labelled organic compds, environmental hazard profile tested, concentration factors in activated sludge, algae and fish, 589

heterogeneous-, triparametric equation to describe QSARs, 1043 lipophilic compds, estimation of fate in plants with multimedia compartment model, 2653

organic-, release into air, water and soil, 117 prediction of ecotoxicological activity, 1149

Chromatography

adipose tissue in normal subjects, levels of polychlorinated quaterphenyl congeners, 1419

chlorinated anisoles and veratroles in fish, model compds, instrumental and sensory detn, 1231 GC/MS characterisation of products

from photochemistry of dibenzo-p-dioxin in organic solvents at 253.7 Nm, 7

GC-MS, isolation and ident-ification of chlorpropham and two metabolites in potatoes, 1457

headspace gas-, application to monitoring substances in industrial effluent, 469 mussels, identification of

volatile organic components, 2559

nitro-PAH selective and sensitive analysis, 945 octanol-water partition coeffs using reverse phase high pressure liquid chromatography,

133 organo-P pesticides, improved silica gel cleanup method, 1065 PCDFs, detn in surface water by liquid chromatography using online sample preconcentration and different spectroscopic techniques, 1123

PCDds and PCDFs, levels in samples of human origin and food in federal republic of Germany,

phenoxy acid herbicides, detn in water samples, 527 polychlorinated PCDF congeners in

tissues of normal and Yusho patients, 2039

separation and identification of PCDD/PCDF isomers by CI and EI mass spectrometry, 1625 solid phase extraction, GC

separation and EC detection of tributyltin chloride present in sea water, 61

tetrachlorobenzene-related compds, synthesis, characterisation, 2467

tetrachlorobenzofurans, gas chromatographic and spectro-metric characteristics, 1655 [3H] TCDF synthesis and characterisation as a radioligand for Ah receptor, 1733

montmorillonite, adsorption of chloridazone, 937

Climate

Mediterranean, cause of unstable ecobudget, 313

Coal mining phenol, solution factors affecting adsorption onto silstone, 1431

Combustion

brominated flame retardants. pyrolysis and GC/MS analysis in on-line operation, 1353 fires involving PCB transformers

and capacitors, formation of chlorinated products, 1881 formation of brominated aromatics,

2451 MSW-, of dioxin and furan emission

data world-wide, risk assessments, 2183 of natural fuels, formation of

CDDs and CDFs, surface reaction of benzene and FeCl₃, 777 particulate associated partial combustion products of dichlorobenzene, 973

PCB liquid waste incinerators measurement of products, 1889 PCDD congener group, lab simulation and potential mechanisms to explain ratio behaviour on particulates from

combustion sources, 1753 PCDDs and PCDFs in air, particulates, sediments and

soil, 1775
propane in presence of HCl,
formation of chlorinated organic

compds, 161 soils near combustion sources, PCDDs congener group profiles, simulation and evaluation of potential physical and mass

transfer phenomena, 1841 sources as emitters of chlorinated dioxin compds, assessment, Report on results of tier 4 of national dioxin strategy, 2161 waste-, emission and chlorination pattern of PCDD/PCDF, 1221

Concentration.see also Bioconcentration

2,3,4,7,8-pentachlorodibenzofuran, mechanism for stimulated fecal excretion in rats by treatment with squalene and liquid paraffin, 1707

Hg and Sn in sediment samples collected from Iskenderun bay,

hydrophobic-, sorption from water, hypothesis for mechanism of particle concentration effect, 745

preconcentration of heavy metals in natural waters with hydrazones supported on silicagel, 405

tin in sea water, sediments and organisms in northeastern Mediterranean, 429

Cyanogen chloride

formation in reaction of monochlorinated, mononitrated or monocarboxylated benzenes, phenols and anilnes with chloramine and polymethyl-phenols, polychlorophenols and polynitrophenols with chloramine, 2249

Degradation

aminotris(methylene phosphonate), degradability, sludge adsorption, mobility in soils and bioconcentration, 1323 benz[a]anthracene, biogeochemistry at sediment water interface,

bis phenyl carbamates, photochemistry in aqueous soln, 513 bisphenol, in natural waters, 1501

by sunlight of 2,4,5-trichlorophenoxyacetic acid and 2,4,5-trichlorophenol in oxygenated aqueous suspensions of TiO, 1165

chlorophenols with Fenton's

reagent, 2225 dibenzo-p-dioxin, photochemistry in organic solvents at 253.7 Nm, products and GC/MS characterisation, 7

microbial-, of guanidinium ion,

in soil of bromacil, diuron and chlorotoluron, 1003 of lignin bound pentachlorophenol

residues, veratrylglycerol-β-(pentachlorophenyl)ether as model, 963

photo-, of betanal, different excited states and spectroscopic properties, 269

photo-, of chloronitrobenzenes in aqueous soln in presence of

Tio2, 809
photo-, of diphenylhydrazones in aqueous solvents, role of peroxy

radicals, 19
polychlorinated dibenzo-p-dioxins
and dibenzofurans, destruction in contaminated water using ozone, 1857

silicones in aquatic environment, oxidative photoinduced degradation, 2567

utimate degradability of dyes, 1539

veratrylglycerol-β-2,4dichlorophenyl ether, model for lignin bound residues by Phanerochaete chrysosporium, Corynebacterium equi and photosensitised riboflavin, stereospecificity of degradation, 1137

Dehalogenation

accelerated debromination of biphenyls by photolysis with sodium borohydride, 1013

Detergents

n-dodecylbenzene sulphonate -1 C mineralisation

Dioxins

1,2,3,4-tetrab. modibenzodioxin pyrolysis, C1-Br exchange with chlorine donors, 1579

2,3,7,8-substituted PCDD and PCDF at sub-ppb levels, isomerspecific analysis of pentachlorophenol and sodium pentachlorphenate, 1759

2,3,7,8-TCDD and PCDDs, evaluation in fly ash from refuse incinerators, 1865

2,3,7,8-TCDD equivalents, validation of in vitro bioassays, 1723
2,3,7,8-TCDD, AHH induction activity in C57BL/6 and DBA/2 mice, effect of receptor antagonist, 1,3,6,8-tetrachlorodibenzofuran, 1739

2,3,7,8-TCDD, AHH induction activity, effects of receptor modulators in C57BL/6 abd DBA/2 mice, 1687
2,3,7,8-TCDD, assessment of

contamination at 2,4,5-trichloroohenol production, use facilities and waste disposal sites. 2175

2,3,7,8-TCDD, detn in human adipose tissue on whole weight and lipid bases, 935 2,3,7,8-TCDD, estimation of human exposure, 1851

2,3,7,8-TCDD, human exposure, 2331 2,3,7,8-TCDD, human exposure, inhalation via emissions and

ingestion via emissions and ingestion via cow's milk, 2079 2,3,7,8-tetrachloro-p-dibenzo-dioxin treatment, transmission and scanning microscopic characterisation of mouse hepa 1 hepatoma cells 1712 hepatoma cells, 1713 2,3,7,8-tetrachlorodibenzo-p-

dioxin long-term study of ecosystem contamination, 1791

2,3,7,8-tetrachlorodibenzo-pdioxin, health effects of long
term exposure, 2089
2,3,7,8-tetrachlorodibenzodioxin,
elevated levels in adipose

tissue of U.S. veterans from Vietnam war, 1997 and dibenzofurans, recent findings and comments on pharmacokinetic,

biochemical effects and animal toxicology, 2191 and furans, environmental levels and fate, 2193

and furans, human tissue levels,

2195 and related aromatic chloro-ethers in Baltic wildlife, 1787 and related compds from municipal

incinerators in Japan, 1901 chlorinated-, and dibenzofurans in human milk, health hazard assessment, 2147

chlorinated, and related compds, intracellular high-affinity

binding proteins, 2187
chlorinated-, comparison of risk
assessments by A.D.I.-values and
by incremental cancer risk

by incremental cancer risk estimates, 2141 chlorinated-, mortality of exposed workers, 2111 chlorinated-, immunoassay based on monoclonal antibody and an enzyme linked immunosorbent enzyme linked immunosorbent assav. 1635

chlorodibenzo-dioxins and -furans from municipal incinerators in Japan, 1907

chlorodibenzo-p-dioxins in feral pigeons, 1749

chromatographic separation and identification of PCDD/PCDF isomers by CI and EI mass spectrometry, 1625 combustion sources as emitters of

chlorinated dioxin compds, assessment, Report on results of tier 4 of national dioxin

strategy, 2161 congener profiles in soils near combustion sources, evaluation of potential governing mechansms, 1095

dibenzo-p-dioxin, electrophilic bromination, 1661 dibenzo-p-dioxin, photochemistry

in organic solvents at 253.7 Nm, products and GC/MS characterisation, 7

dibenzo-p-dioxins, polybrominated
 and chlorinated, synthesis,
 biologic and toxic effects and structure-activity

relationships, 1729 dibenzodioxins and dibenzofurans, brominated and brominated/chlorinated potential environmental contaminants, 1873

dioxin Missouri update, 1986, 1869 human fat sampling for dioxin analysis, 2063

in environment, health hazard, 43 in vitro induction of AHH by 2,3,7,8-TCDD and related toxic halogenated aryl hydrocarbons in

rate hepatoma cells for quantitative detn of toxins, 791 municipal waste incinerators, formation and emmision of polycyclic and polyhalogenated compds, 143 PCDD and PCDF in motor oils and

waste oils, analysis, 1649 PCDD and PCDF in motor oils, refined oils and contaminated soils, 1847

PCDD congener group, lab simulation and potential mechanisms to explain ratio behaviour on particulates from combustion sources, 1753 PCDDs and PCDFs from incinerator

flyash, isomer dependent bioavailability to fresh water fish, 657

PCDDs and PCDFs from waste-to-energy plants, programme in Sweden to limit emmisions, 1911 PCDDs and PCDFs in air,

particulates, sediments and soil, 1775 PCDDs and PCDFs in rats dependent

on vehicle used as carrier, 1193 PCDDs and PCDFs in tissues of Yusho patients from Japan and

China, comparison, 2017
PCDDs and PCDFs, bioavailability
from contaminated Wisconsin river sediment to fresh water fish, 667

PCDDs and PCDFs, daily intake by Japanese through food, 1823 PCDDs and PCDFs, environmental fate, sources, levels and isomeric pattern in various matrices, 1603
PCDDs and PCDFs, interactive effects in human mother's milk,

1701

PCDDs and PCDFs, levels in human tissues after pentachlorophenol poisoning, 1989 PCDDs and PCDFs, levels in human tissues and food in Japan, 2047 PCDds and PCDFs, levels in samples of human origin and food in federal republic of Germany, 1977

PCDDs and PCFDs in human body from the diet, 1971 PCDDs and PCFDs in human body from

the diet, 1971

PCDDs, monitoring in Osaka bay using blue mussel, 1817 PCDDs, PCDFs and mixed bromo/chloro compds, NCI mass spectrometry for detection and screening of potential environmental pollutants, 713 PCDD/PCDF, emission and

chlorination pattern from waste combustion, 1221

PCDD/PCDF, formation in fly ash from waste incinerators, 1917 PCDD/PCDF, search for industrial sources of short-chain chlorinated hydrocarbons, 1949

polybrominated dibenzo-p-dioxins and dibenzofurans in flame retardants, 1877

polybrominated diphenyl ethers, -biphenyls, dibenzodioxins and -dibenzofurans, PVC-induced Cl-Br exchange during pyrolysis, 297 polychlorianted dibenzodioxins and

dibenzofurans in human milk from West Germany, 1983 polychlorinated dibenzo-p-dioxin

and dibenzofuran levels, comparison in human breast milk from Vietman and USA, 2003

polychlorinated dibenzo-p-dioxins and dibenzofurans in wastes of technical hexachlorocyclohexane,

polychlorinated dibenzo-p-dioxins

and dibenzofurans, destruction in contaminated water using

ozone, 1857
polychlorinated dibenzo-p-dioxins
and dibenzofurans, detn of isomers from incinerators, related samples in Japan,

polychlorinated dibenzo-p-dioxins and dibenzofurans, levels in persons with high and normal levels of 2,3,7,8-tetrachlorodibenzo-p-dioxin, 2027

polychlorinated dibenzofurans and dioxins in exhaust fumes of cars

run on leaded petrol, 29 receptor, structure and function, DNA-binding protein similar to steroid hormone receptor, 1681 refined analysis to detect and

measure PCDD/PCDF, PAH, PCB,CB and CP in environmental samples,

soils near combustion sources PCDDs congener group profiles, simulation and evaluation of potential physical and mass transfer phenomena, 1841

TCDD contaminated soil, animals exposure, potential residues in derived foods, 2123

TCDD distribution on all territory around Seveso, use in epidemiology and hint into dynamical models, 1765 TCDD levels in human adipose

tissue distribution, statistical evaluations reflect misleading

interpretations, 2135
tritiated 2,3,7,8-tetrachlorodibenzo-p-dioxin administered to
Holstein dairy cows, bioavailability, 1743 USEPA national dioxin study, tiers

3,5,6 and 7, 2169 YCDD and PCB, volatility in soil,

Diseases see Health hazards

rats poisoned with Ni, effect of chelating drugs on pharmacokinetics and metabolic

disposition, 259
squalene and liquid paraffin,
treatment of rats, mechanism for stimulated fecal excretion of 2,3,4,7,8-pentachlorodibenzofuran, 1707

effluents, dye-containing, colour removal by bentonites, 2523 utimate degradability, 1539

Ecobudgets

unstable-, caused by 'Mediter-ranisation' of climate in Mediterranean countries, 313

Ecological studies

2,3,7,8-tetrachlorodibenzo-pdioxin long-term study of ecosystem contamination, 1791 environmental conditions in Abu Kir bay, physico-chemical characteristics and water

circulation. 361 Mamara sea, pollutants and problems, 339

northeastern Greece, ecological parameter of surface water, 351 Po river delta lagoon, trophic state gradients and zooplankton and zoobenthos distribution, 571

Ecosystems
1,2,4,5,7,8-hexachloroxanthene, measurement and significance, 869

aquatic micro-, method to assess periodic responses to photosynthetic inhibition, 287 cypermethrin, distribution and fate, prediction, 1373

Effluents
Abu Kir bay, environmental conditions, plankton distribution from land based effluents, 559

dye-containing-, colour removal by bentonites, 2523 industrial-, application of

headspace gas chromatography to monitoring of substances 469

Environment 2,3,7,8-TCDD, human exposure, 2331 brominated flame retardants, ubiquitous environmental pollutants? 2343 conditions in Abu Kir bay, physico-chemical characteristics

and water circulation. 361 conditions in Abu Kir bay,

plankton distribution from land based effluents, 559 dibenzodioxins and dibenzofurans,

brominated and brominated/chlorinated, potential environmental contaminants, 1873 dioxins and furans, levels and fate, 2193

fate of chemicals, effect of binding interaction between pollutants and dissolved humic materials, 1115

German national research centers,

halogenated polycyclic aromatic hydrocarbons, analysis in air, snow and automobile exhaust, 2441

hazard profile of '"C labelled organic compds tested, concentration factors in activated sludge, algae and fish, 589 health hazard from dioxins, 43

kanechlors, arochlors and environmental samples, detn of non-ortho substituted, PCBs,

measurements with atmosperic Hgmonitor having speciation capabilities, 183 PCDDs and PCDFs in air,

particulates, sediments and soil, 1775

persistent chemicals, bioindicators for monitoring the spread, 225

photoincorporations of polychlorobenzenes into humic model monomers, 495

pollution, impact on life in Mediterranian, opening address of 3rd international congress,

refined analysis to detect and measure PCDD/PCDF, PAH, PCB,CB and CP in samples, 1619

research, contribution from Kuwait, 651 samples of aromatic polycyclic hydrocarbons, new analysis by high resolution emission spectroscopy, 485 technology, ion flotation, 623

Enzymes

bacteria, characterisation with phenol-oxidase activity from soil in La Laguna area, Spain, effect of sodium fluoride on

erythrocyte membrane function, reference to metal ion transport in rabbits, 1087

in vitro induction of AHH by 2,3,7,8-TCDD and related toxic halogenated aryl hydrocarbons in rate hepatoma cells for quantitative detn of toxins, 791

reratrylglycerol-β-2,4dichlorophenyl ether, model for lignin bound residues by Phanerochaete chrysosporium, Corynebacterium equi and photosensitised riboflavin, stereospecificity of degradation, 1137 Yusho patients, aryl hydrocarbon

hydroxylase activity, 2073

Epidemiology

human fat sampling for dioxin analysis, 2063 TCDD distribution on all territory around Seveso, use in epidemiology and hint into dynamical models, 1765 Yusho skin eruptions in workers

synthesising polychlorinated and polybrominated dibenzofurans,

Ethers

1,4,5-tri- and 3,3',4,4'tetrachlorobiphenyl and 2,4,5-tri- and 3,3',4,4'-tetrachloro-diphenyl ether in fish,

bioconcentration kinetics, 2379 brominated diphenyl ethers, biphenyls and plastic mixtures of these compds, pyrolysis, formation of PBDF and PBDD, 277

chlorinated anisoles and veratroles in fish, model compds, instrumental and sensory detn, 1231

chloroanisoles, uptake and elimination by fish, 953 dioxins and related aromatic chloro-ethers in Baltic

wildlife, 1787 polybrominated biphenyl ethers in marine fish, shellfish and river and marine sediments, 2389 polybrominated diphenyl ethers,

biphenyls, dibenzodioxins and -dibenzofurans, PVC-induced C1-Br exchange during pyrolysis, 297 veratrylglycerol-8-2,4-

dichlorophenyl ether, model for lignin bound residues by Phanerochaete chrysosporium, Corynebacterium equi and photosensitised riboflavin, stereospecificity of degradation, 1137

veratrylglycerol-B-(pentachlorophenyl)ether, a model for lignin bound pentachlorophenol residue degradation, 963

Exhausts

chain saw-, new strategy for monitoring exposure, 99 from cars run on leaded petrol, identification of polychlorinated dibenzofurans and dioxins, 29 halogenated polycyclic aromatic

hydrocarbons, analysis in air, snow and automobile exhaust,

Farming soft tissue sarcomas, mortality among agricultural workers, 2101 soft tissue sarcoma risk among agricultural and forestry workers in Sweden, 2107

Fires

PCB electrical equipment fires, criteria for public health decision making, French experience, 2129

PCB transformer incident, Binghamton state office, 1981-1987, 2155

wood burning pollution, diurnal variations in Canada, 155

Fish and marine organisms age of striped bass in Hudson river and Long island sound, relationship to PCB

concentration, 1469
blue mussel, use in monitoring
PCDDs in Osaka bay, 1817
British fresh water-, Hg, Pb amd
Cd in muscles, 901

Cd and Hg pollution, interactive effect on allozyme polymorphisms in <u>Cerithium scabridum</u>, 543 Cd and Hg pollution, interactive

effects on allozyme polymorphisms in <u>Cerithium</u> scabridum, 543

copepod community of eastern Adriatic coast, impact of pollution, 369 dissolved and dispersed

hydrocarbons, long-term impact in gulf of Isekenderun. 381

environmental hazard profile of "C labelled organic compds tested, concentration factors in activated sludge, algae and

fish, 589
fathead minnow larvae, photoinduced toxicity of polycyclic
aromatic hydrocarbons, 1395
fish and shellfish in Tapei,

presence of polychlorinated

biphenyl residues, 1835 fish exposed to No 2 fuel oil, glucuronides from bile, comparison with aromatic and aliphatic n-alkyl glucuronides, 1381

fish, bioconcentration kinetics of 1,4,5-tri- and 3,3',4,4'tetrachlorobiphenyl and 2,4,5tri- and 3,3',4,4'-tetrachloro-

diphenyl ether, 2379 fish, chlorinated anisoles and veratroles as model compds, instrumental and sensory detn, 1231

fish, effect of lindane and atropine sulphate on tissues, a chronotoxicological approach, 1339

fish, pyrene toxicity, synergism by piperonyl butoxide and by UV light, 2291

fish, uptake and elimination of

chloroanisoles, 953
fresh water-, bioavailability of
PCDDs and PCDFs from
contaminated Wisconsin river sediment, 667

fresh water-, isomer dependent bioavailability of PCDDs and PCDFs from incinerator flyash,

marine animals, soluble organoarsenic compds, microbial degradation of arsenbetaine, 2545

marine bivalves, exposure to tributyltin, sub-lethal growth effects and mortality, 201

marine fish, shellfish and river and marine sediments, presence of polybrominated biphenyl

ethers, 2389 marine microorganisms, formation of trimethylarsine oxide from arsenobetaine, 2551 mussels, identification of

volatile organic components,

2559

Mytilus edulis, Hg uptake, effect of intoxication period in the day and fractionation of the pollutant on resulting contamination, 921 organoarsenic compds in fish and

algae, exact mass measurement using fast atom bombarment mass

spectrometry, 91
PCBs in water, sediments and fish
of Kupa river, yugoslavia, 2351

Flame retardants

brominated-, pyrolysis and GC/MS analysis in on-line operation,

brominated-, ubiquitous environmental pollutants? 2343 presence of polybrominated dibenzo-p-dioxins and dibenzofurans, 1877

2,3,7,8-TCDD, human exposure, 2331 bound 1 C-fonofos residues, formation in soil and vegetables under field conditions, 167

daily intake by Japanese of PCDDs and PCDFs, 1823 Florida strawberry farms, dislodgeable captan residues,

mutagenicity investigations, aqueous sulphite-nitrite system, 2479

PCDDs and PCDFs, levels in human tissues and food in Japan, 2047 PCDds and PCDFs, levels in samples of human origin and food in federal republic of Germany,

PCDDs and PCFDs in human body from

the diet, 1971
potatoes, isolation and
identification of chlorpropham and two metabolites by GC-MS, 1457

TCDD contaminated soil, animals exposure, potential residues in derived foods, 2123

hydrocarbon fuel spill dispersion on water, literature review, 1475

azaconazole, wood preservation, model experiments predicting aerial levels, 1281

dislodgeable captan residues in Florida strawberry farms, 1257 environmental Hg, correlation between contamination and

leukaemia in men and cattle, 253 folpet, N-(dichloromethylthio) phthalimide a photo-metabolite,

mancozeb in air, determination, occupational exposure in control of potato late blight, 2423

Furans
2,3,4,7,8-pentachlorodibenzofuran,
mechanism for stimulated fecal
tion in rats by treatment excretion in rats by treatment with squalene and liquid paraffin, 1707

2,3,4,7,8-pentachlorodibenzofuran, subcellular distribution in rat

2,3,7,8-substituted PCDD and PCDF at sub-ppb levels, isomerspecific analysis of pentachlorophenol and sodium pentachlorphenate, 1759

2,3,7,8-TCDD equivalents, validation of in vitro bioassays, 1723
2-HODBF, formation on irradiation

of air saturated soln of 2biphenylol, 1205

analysis of deaths among patients

with Yusho, 2085 carbofuran-1°C, uptake by rice plants after root zone application as controlled

release formulation, 1273
CDFs and CDDs, formation during combustion of natural fuels, surface reaction of benzene and

chlorinated dioxins and dibenzofurans in human milk health hazard assessment, 2147 chlorinated dioxins and

dibenzofurans in human milk, health hazard assessment, 2147 chlorodibenzo-dioxins and -furans from municipal incinerators in

Japan, 1907 chromatographic separation and identification of PCDD/PCDF isomers by CI and EI mass

spectrometry, 1625 dibenzo-, electrophilic bromination, 221

dibenzodioxins and dibenzofurans, brominated and brominated/chlorinated, potential environmental contaminants, 1873 dibenzofurans and dioxins, recent

findings and comments on pharmacokinetic, biochemical effects and animal toxicology, 2191

furans and dioxins, environmental levels and fate, 2193 furans and dioxins, human tissue levels, 2195

halogenated PCB-analogs causing

Yusho-like skin eruptions, 2069 MSW combustion of dioxin and furan emission data world-wide, risk assessments, 2183 municipal waste incinerators,

formation and emmission of polycyclic and polyhalogenated compds, 143

PCDF metabolites, synthesis and mass spectral properties, 1641 PCFD/PCDD, emission and chlorination pattern from waste combustion, 1221

PCDF/PCDD, formation in fly ash from waste incinerators, 1917 PBDF and PBDD from pyrolysis of brominated diphenyl ethers, biphenyls and plastic mixtures

of these compds, 277 PCDF and PCDD in motor oils, refined oils and contaminated

soils, 1847 PCDFs and PCDDs from incinerator flyash, isomer dependent bioavailability to fresh water fish, 657

PCDFs and PCDDs, bioavailability from contaminated Wisconsin river sediment to fresh water fish, 667

PCDFs and PCDDs, and mixed bromo/chloro compds, NCI mass

spectrometry for detection and screening of potential environmental pollutants, 713 PCDFs and PCDDs from waste-to-energy plants, programme in Street talking transitions, 1911

Sweden to limit emmisions, 1911
PCDFs and PCDDs in air,
particulates, sedimets and soil,
1775 PCDFs and PCDDs in rats dependent

on vehicle used as carrier, 1193 PCDFs and PCDDs in tissues of Yusho patients from Japan and

China, comparison, 2017
PCDFs and PCDDs levels in human
tissues after pentachlorophenol
poisoning, 1989
PCDFs and PCDDs levels in human

tissues and food in Japan, 2047 PCDFs and PCDds levels in samples of human origin and food in federal republic of Germany,

PCDFs and PCDDs, daily intake by Japanese through food, 1823 PCDFs and PCDDs, environmental fate, sources, levels and isomeric pattern in various matrices, 1603 PCDFs and PCDDs, interactive

effects in human mother's milk,

PCDFs, detn in surface water by liquid chromatography using on-line sample preconcentration and different spectroscopic

techniques, 1123 PCFDs and PCDDs in human body from

the diet, 1971
polybrominated dibenzo-p-dioxins
and dibenzofurans in flame

retardants, 1877
polybrominated diphenyl ethers,
biphenyls, dibenzodioxins and dibenzofurans, PVC-induced C1-Br

exchange during pyrolysis, 297 polychlorianted dibenzodioxins and dibenzofurans in human milk from West Germany, 1983 polychlorinated and polybrominated

dibenzofurans synthesis, Yusho skin eruptions in workers, 2201

polychlorinated dibenzo-p-dioxin and dibenzofuran levels, comparison in human breast milk

from Vietman and USA, 2003
polychlorinated dibenzo-p-dioxins
and dibenzofurans in wastes of
technical hexachlorocyclohexane,

polychlorinated dibenzo-p-dioxins and dibenzofurans, destruction in contaminated water using ozone, 1857

polychlorinated dibenzo-p-dioxins and dibenzofurans, levels in persons with high and normal levels of 2,3,7,8tetrachlorodibenzo-p-dioxin,

polychlorinated dibenzo-pl-dioxins and dibenzofurans, detn of isomers from incinerators,

related samples in Japan, 1959 polychlorinated dibenzofurans and dioxins in exhaust fumes of cars

run on leaded petrol, 29 polychlorinated PCDF congeners in tissues of normal and Yusho patients, 2039 receptor antagonist, 1,3,6,8-

tetrachlorodibenzofuran, effect on 2,3,7,8-TCDD AHH induction activity in C57BL/6 and DBA/2

mice, 1739
refined analysis to detect and
measure PCDD/PCDF, PAH, PCB,CB
and CP in environmental samples,

tetrachlorobenzofurans, gas chromatographic and spectro-metric characteristics, 1655 [³H] TCDF synthesis and

characterisation as a radioligand for Ah receptor, 1733

Genetics

interactive effects of Cd and Hg on pollution in allozyme polymorphisms in Cerithium scabridum, 543

Geographical studies climate 'Mediterranisation' in Mediterranean, cause of unstable ecobudget, 313

northeastern Greece, ecological parameter of surface water, 351 water systems in morthern Greece, correlation of some organic

pollution factors, 395 watercourse pollution, sources in Italy and mediterranean France, assessed by macrophytes, 331

Halogenated compounds

brominated aromatics, formation during combustion, 2451 brominated flame retardants, ubiquitous environmental pollutants? 2343

carbon tetrachloride destruction in stoichiometric CH,/CCl,/air premixed flat flame, 989

chlorinated combustion products, formation from fires involving PCB transformers and capacitors, 1881

chlorinated hydrocarbons in sediments of Elbe river and

estuary, 2487 chlorinated organic compds, atmospheric levels, 1781 chlorinated organic compds formation during combustion of propane in presence of HCl, 161

chlorinated residues, valorisation via high temp incineration and recovery of HCl and energy, 1929 cyanogen chloride, formation in

reaction of monochlorinated, mononitrated or monocarboxylated benzenes, phenols and anilnes with chloramine and polymethylphenols, polychloro-phenols and polynitrophenols

with chloramine, 2249 halogenated organic acids, characterisation in flue gases from municipal incinerators,

halogenated PCB-analogs causing Yusho-like skin eruptions, 2069 lipophilic volatile organohalogen compds, formation during laboratory chlorination of ground water samples from Yugoslavia, 2279 organochlorine insecticide

residues in human fat and milk samples in S.Africa, 705 organochlorine insecticide

residues in human fat and milk samples in S.Africa, 705 polychlorinated quaterphenyl congeners, levels in adipose tissue of normal subjects, 1419

polycyclic and polyhalogenated compds, formation and emmision from municipal waste incinerators, 143 chlorinated organics, emission

fromsewage sludge burning incinerator, 1895 sodium fluoride, effect on

erythrocyte membrane function, reference to metal ion transport

in rabbits, 1087 total organic Cl- and Br-compds in water samples, adsorption onto activated C and neutron activation analysis, 969

trichlorofluoromethane, residence time in polyurethane foams, variability, trends and effects of temp, 759

Halogenation

artificially recharged ground water processed from humus rich surface water, effect of permanganate oxidation and chlorination on mutagenic activity and other qualities,

chlorination pattern and emission of PCDD/PCDF from waste combustion, 1221 electrophilic bromination of

dibenzofuran, 221 electrophilic bromination of

dibenzo-p-dioxin, 1661 lipophilic volatile organohalogen compds, formation during laboratory chlorination of ground water samples from Yugoslavia, 2279

Health hazards

2,3,7,8-TCDD, estimation of human exposure, 1851
2,3,7,8-TCDD, human exposure, 2331

2,3,7,8-TCDD, human exposure, inhalation via emissions and ingestion via cow's milk, 2079

2,3,7,8-tetrachlorodibenzo-p-dioxin, health effects of long term exposure, 2089

2,3,7,8-tetrachlorodibenzodioxin, elevated levels in adipose tissue of U.S. veterans from Vietnam war, 1997 2,3,7,8-tetrachlorodibenzodioxin,

elevated levels in adipose tissue of U.S. veterans from Vietnam war, 1997

analysis of deaths among patients with Yusho, 2085

binding protein for PCBmetabolite, characterisation in bronchoalveolar lavage from healthy smokers and non-smokers, 1667

chain-saw exhaust, new strategy for monitoring exposure, 99 chloracne among chemical workers, mortality patterns, 2117 chlorinated dioxins and dibenzofurans in human milk,

health hazard assessment, 2147 chlorinated dioxins, comparison of risk assessments by A.D.I.values and by incremental cancer risk estimates, 2141

chlorinated dioxins, mortality of exposed workers, 2111 dioxins and furans, environmental levels and fate, 2193 dioxins and furans, human tissue

levels, 2195 environmental Hg, correlation between contamination and leukaemia in men and cattle, 253 environmental measurements with

atmosperic Hg-monitor having speciation capabilities, 183 Florida strawberry farms,

dislodgeable captan residues, 1257

from dioxins in environment, 43 from PCBs in oil from water pumps

submerged in wells, 37
halogenated PCB-analogs causing
Yusho-like skin eruptions, 2069
human fat sampling for dioxin

analysis, 2063 levels of polychlorinated quaterphenyl congeners in adipose tissue of normal subjects, 1419

mancozeb in air, determination, occupational exposure in control of potato late blight, 2423

Mediterranean beaches of Israel, association between seawater pollution measured by baterial indicators and morbidity among bathers, 565 MSW combustion of dioxin and furan

emission data world-wide, risk assessments, 2183 partition coeffs of n-octanol-water of organic environmental chemicals in humans, correlation with their bioconcentration potential, 239

PCB electrical equipment fires. criteria for public health decision making, French experience, 2129

PCB, hydroxymethylsulphone metabolites in Yusho patients.

PCBPs synthesis, structural characteristics of 2,3,6,7-TCBP and analysis for PCBPs in human

and analysis for PCBPs in humar adipose tissue by NCI mass spectrometry, 2057
PCDDs and PCDFs in tissues of Yusho patients from Japan and China, comparison, 2017
PCDDs and PCDFs, daily intake by Japanese through food, 1823
PCDDs and PCDFs, levels in human tissues and food in Japan. 2047 tissues and food in Japan, 2047 PCDDs and PCFDs in human body from

the diet, 1971 pentachlorophenol poisoning, levels of PCDDs and PCDFs in

human tissues, 1989 polychlorianted dibenzodioxins and dibenzofurans in human milk from

West Germany, 1983 polychlorinated biphenyl congeners, fingerprint in samples of human subcutaneous adipose tissue, 2315

anthose tissue, 2515
polychlorinated dibenzo-p-dioxin
and dibenzofuran levels in human
breast milk from Vietman and
USA, comparison, 2003
polychlorinated dibenzo-p-dioxins
and dibenzofurans, levels in
persons with high and normal

persons with high and normal levels of 2,3,7,8-tetrachlorodibenzo-p-dioxin, 2027 polychlorinated PCDF congeners in

tissues of normal and Yusho

patients, 2039 soft tissue sarcoma case control study among industrial chemical

workers, 2095 soft tissue sarcoma risk among

agricultural and forestry
workers in Sweden, 2107
soft tissue sarcomas, mortality
among agricultural workers, 2101
thermolysis of pesticide residues

during tobacco smoking, 521 toxic coplanar PCBs in biota, occurrence and distribution,

Yusho patients, aryl hydrocarton hydroxylase activity, 2073 Yusho skin eruptions in workers synthesising polychlorinated and polybrominated dibenzofurans, 2201

Herbicides

and pesticides, controlled release formulations in freshwater

systems, 615
and pesticides, photolysis of 2,3dihydro-5,6-dimethyl-1,4dithin-1,1,4,4-tetroxide, 1319
atrazine effect on mineralisation

of n-dodecylbenzene sulphonate 'C in soil, 1521
atrazine, analysis in underground
waters in parts per trillion
levels, early warning method for
contamination and soil
distribution, 1425

bromacil, diuron and chlorotoluron, degradation in soil, 1003

chloridazone, adsorption by montmorillonite, 937 chlorpropham and two metabolites,

isolation and identification in potatoes by GC-MS, 1457 methyl parathion, biotic and

abiotic degradation rates in fresh water, estuarine water and sediment, 1509 phenoxy acid-, detn in water

samples, 527 soft tissue sarcoma risk among agricultural and forestry workers in Sweden, 2107 soft tissue sarcomas, mortality among agricultural workers, 2101

UV-ozonation as a waste disposal pretreatment, 2321

dioxin receptor, structure and function, DNA-binding protein similar to steroid hormone

receptor, 1681
rats, role of Ah receptor in
mediating down regulation of
uterine and hepatic estrogen receptor levels, 1691

Humic substances

artificially recharged ground water processed from humus rich surface water, effect of permanganate oxidation and chlorination on mutagenic activity and other qualities,

dissolved humic materials, charge transfer interaction with pollutants and binding interaction with chloranil, 1115

humic acid in natural waters. photoreactivity, 523 humic model monomers, environ-mental photoincorporations of

polychlorobenzenes, 495 humic substances, photochemical aging, 1463

photoinduced formation of oxygen species and their reaction with organic chemicals in soln, 505

Hydrazones

diphenyl-, photo-induced degrad-ation in aqueous solvents, role of peroxy radicals, 19

supported on silica-gel, preconcentration of heavy metals in natural waters, 405

Hydrocarbons see also Benzene derivatives

aromatic polycyclic-, effect of high-levels in polluted stream, sediment physicochemical properties and benthic organisms, 1053

aromatic polycyclic-, in environmental samples, new analysis by high resolution emission spectroscopy, 485 aromatic polycyclic-, photo-

induced toxicity to fathead minnow larvae, 1395 aromatic-, sediment-water partition coeffs and HPLC retention factors, 109

chlorinated short-chain-, search for industrial sources, 1949 chlorinated-, in sediments of Elbe river and estuary, 2487 cyanogen chloride, formation in reaction of monochlorinated, mononitrated or monocarboxylated benzenes, phenols and anilnes with chloramine and polymethylphenols, polychlorophenols and polynitrophenols

with chloramine, 2249 dissolved and dispersed-, longterm impact in gulf of Isekenderun. 381 hydrocarbon fuel spill dispersion

on water, literature review,

naphthalene, reactions with nitrogen dioxide in UV-light, 519

nitro-PAH selective and sensitive analysis, 945 propane, combustion in presence of

HCl, formation of chlorinated organic compds, 161 pyrene in water containing nitrite ion, formation of 1-nitropyrene by photolysis, 859 pyrene toxicity in fish, synergism

by piperonyl butoxide and by UV light, 2291

refined analysis to detect and measure PCDD/PCDF, PAH, PCB,CB and CP in environmental samples, 1619

substituted aryl-, Ah receptor binding, a QSAR analysis, 1719

Hydrophobicity

membrane permeation of hydrophobic compds, effect on biodegradation kinetics, 1361

Incineration

carbon tetrachloride destruction in stoichiometric CH,/CCl,/air premixed flat flame, 989 waste-, emission of organic micropollutants, 813

Incinerators
 2,3,7,8-TCDD and PCDDs, evaluation

in fly ash from refuse incinerators, 1865
2,3,7,8-TCDD, human exposure, inhalation via emissions and ingestion vi cow's milk, 2079

CDDs and CDFs, formation during combustion of natural fuels, surface reaction of benzene and

chlorinated residues, valorisation via high temp incineration and recovery of HCl and energy, 1929 chlorodibenzo-dioxins and -furans from municipal incinerators in

Japan, 1907 dioxin congener profiles in soils near combustion sources, evaluation of potential governing mechansms, 1095 dioxins and related compds from municipal incinerators in Japan,

1901

flyash, isomer dependent bioavailability of PCDDs and PCDFs to fresh water fish, 657 flue gases from municipal incinerators, characterisation

of halogenated organic acids, 1181

in-situ Hg speciation in flue gas by liquid and solid sorption systems, 821

municipal waste-, formation and emmision of polycyclic and polyhalogenated compds, 143

new MSW incinerators, experiences from Sweden, 1937 particulate associated partial

combustion products of dichlorobenzene, 973 PCB liquid waste incinerators, measurement of combustion

products, 1889 PCDDs and PCDFs from waste-to-

energy plants, programme in Sweden to limit emmisions, 1911 PCDDs and PCDFs, environmental fate, sources, levels and

isomeric pattern in various matrices, 1603
PCDD/PCDF, formation in fly ash from waste incinerators, 1917
polychlorinated dibenzo-pl-dioxins and dibenzofurans, detn of isomers from incinerators,

related samples in Japan, 1959 sewage sludge burning incinerator, emission of chlorinated

organics, 1895 testing and evaluation programme, air pollution control technology in Canada, 1923

waste incineration, guidlines based on theory and practise,

Industry
2,3,7,8-TCDD, assessment of contamination at 2,4,5trichloroohenol production, use facilities and waste disposal sites, 2175

biodegradability of hexamethylene-tetramine, 1555

bisphenol, degradation in natural

waters, 1501 chloracne among chemical workers, mortality patterns, 2117

chlorinated dioxins, mortality of exposed workers, 2111

exposed workers, 2111
chlorinated residues, valorisation
via high temp incineration and
recovery of HCl and energy, 1929
industrial effluent, application
of headspace gas chromatography
to monitoring of substances, 469
microbial degradation of
guanidinium ion, 1071
municipal waste incineration

municipal waste incineration technology, 2199 PCDD/PCDF, search for industrial sources of short-chain chlorinated hydrocarbons, 1949

phototoxicity, biological activity, occurrence and synthesis of phenylheptatriyne, 2405

polychlorinated dibenzo-p-dioxins and dibenzofurans in wastes of technical hexachlorocyclohexane,

soft tissue sarcoma case control study among industrial chemical workers, 2095

Insecticides

cypermethrin, environmental distribution and fate,

prediction, 1373
lindane, effect on zooplankton
under outdoor conditions, 1527
organochlorine-, residues in human
fat and milk samples in

S.Africa, 705
PCBs, α- and Y-hexachlorocyclohexane, 4,4'-DDE and 4,4'DDT in Cintinental air, 2497
plant foliage, accumulation and

release kinetics, exposure to α-and Y-HCH, p,p-DDT and DDE and PCB mixture, 2515

pyrethroid-, persistence in soil before and after formulation, 1311

UV-ozonation as a waste disposal pretreatment, 2321

Istopic labelled compounds

'C-labelled organic chemicals in aerobic and anaerobic soil, biomineralisation rates, 1031 1°C labelled organic compds, environmental hazard profile

tested, concentration factors in activated sludge, algae and fish, 589
['H] TCDF synthesis and characterisation as a radio-

ligand for Ah receptor, 1733 bioavailability of tritiated 2,3,7,8-tetrachlorodibenzo-p

dioxin administered to Holstein dairy cows, 1743 ound 1°C-fonofos residues, formation in soil and vegetables under field conditions, 167

['H] TCDF synthesis and characterisation as a radioligand for Ah receptor, 1733

Ketones

and alcohols and alicyclic compds, biodegradability-quantitative structure relationships, 695 vapour pressure and gas-film coeffs, 69

Kinetics

biodegradation kinetics, effect of membrane permeation of hydrophobic compds, 1361

bioconcentration kinetics, 1,4,5-tri- and 3,3',4,4'-tetrachlorobiphenyl and 2,4,5-tri- and 3,3',4,4'-tetrachloro-diphenyl ether in fish, 2379

biotransformation-, of xenobiotics in natural waters by aufwuchs communities, 49

communities, 49
of nitrogen oxide oxidation by ozone and by oxygen, 537
plant foliage, accumulation and release kinetics, exposure to α-and Y-HCH, p,p-DDT and DDE and PCB mixture, 2515
rate constants for reactions of singlet oxygen with phenols and other compds in water, 681

other compds in water, 681

Lactones

C6-C15 Y-lactones, identification in atmospheric aerosols, 1143

Hg from peat soil, 1215 polycyclic aromatic hydrocarbons, bioavailability from coalderived solid product, leaching

study, 2613 polycyclic aromatic hydrocarbons from water distribution pipes, comparison of mutagenicity and leaching, 2595

Lignins

residues as tracers of organic waste transport, 171

Mechanism

chloridazone, adsorption by montmorillonite, 937 chlorpropham and two metabolites,

isolation and identification in potatoes by GC-MS, 1457 evaluation of potential governing mechansms, dioxin congener profiles in soils near combustion sources, 1095

sorption of hydrophobic chemicals from water, hypothesis for mechanism of particle concentration effect,

Metabolism

rats poisoned with Ni, effect of chelating drugs on pharmacokinetics and metabolic disposition, 259

trichlorobiphenyl-, in different test species, 599

PCB, hydroxymethylsulphone metabolites in Yusho patients, 2033

PCB-, binding protein, character-isation in bronchoalveolar lavage from healthy smokers and non-smokers, 1667 PCFD-, synthesis and mass spectral properties, 1641

utimate degradability of dyes, 1539

Metals and their compounds biomineralisation rates of 1°Clabelled organic chemicals in aerobic and anaerobic soil, 1031

boron levels in ground waters of Halkidiki, 419 Cd and Hg pollution, interactive effects on allozyme polymorphisms in Cerithium

scabridum, 543 Cd distribution on cells, protective effect of different envelopes, marine bacterial investigation, 2623

environmental Hg, correlation between contamination and leukaemia in men and cattle, 253 environmental measurements with atmosperic Hg-monitor having speciation capabilities, 183

heavy metal pollution in Guadiamar river and Guadalquivir

estuary, 463 heavy metal pollution in rivers and lakes of northern Greece, 455

heavy metals from municipal runoff to sediments of lake Pontchartrain, Louisiana, 2579 heavy metals in sinter-pavements,

vegetation changes and soil pollution, 1021 heavy metals, preconcentration in

natural waters with hydrazones supported on silica-gel, 405 Hg and methyl mercury in scalp

hair of inhabitatnts from Mediterranean areas, 877

Hg and Sn in gulf of Iskenderun, Hg leaching from peat soil, 1215

Hg uptake by Mytilus edulis, effect of intoxication period in the day and fractionation of the pollutant on resulting contamination, 921
Hg, Pb amd Cd in muscle of British fresh water fish, 901

tresh water 11st, 901
Hylocomium splendens, elemental composition, 2631

in-situ Hg speciation in flue gas by liquid and solid sorption

systems, 821 leaded petrol, polychlorinated dibenzofurans and dioxins in

exhaust fumes of cars, 29 marine animals, soluble organoarsenic compds, microbial degradation of arsenbetaine,

marine microorganisms, formation of trimethylarsine oxide from arsenobetaine, 2551

metal fallout, perennial herbs as minitors, 233
Ni poisoning of rats, effect of chelating drugs on pharmacokinetics and metabolic disposition, 259
organoarsenic compds in fish and

algae, exact mass measurement using fast atom bombarment mass

oxygenated aqueous suspensions of TiO₂, sunlight degradation of 2,4,5-trichlorophenoxyacetic acid and 2,4,5-trichlorophenol,

Pb concentrations in vegetation in Irwell valley, England, 1105 Pb distribution in roadside ecosystems, evaluative model, 1387

Pb distribution in roadside ecosystems, evaluative model, 1387

photo-degradation of chloro-nitrobenzenes in aqueous soln in presence of TiO₂, 809

Scenedesmus obliquus,
naphthalenesulphonic acids as

source of sulphur, 1565 silicones in aquatic environment, oxidative photoinduced

degradation, 2567 tin distribution in northeastern Mediterranean, 429

TiO₂ aqueous suspensions, photocatalstic degradation of toxic organic compds, CIR-FTIR interfacial analysis, 1447 Tl, comparative toxicity to two

plant species, 929 tributyltin chloride present in

sea water, solid phase extraction, GC separation and EC

detection, 61
tributyltin, exposure of marine bivalves, sub-lethal growth effects and mortality, 201

Micelles

partition coeffs of tetrachlorobenzene isomers between water and sodium dodecylsulphate micelles, enhanced toxicity and tissue accumulation of 1,2,4,5-isomer not related to its lipophilicity, 803

Microorganisms see also Bacteria benthic organisms and sediment physicochemical properties in polluted stream, effect of high-levels of polycyclic aromatic

hydrocarbons, 1053 biodegradability of hexamethylenetetramine, 1555 dissolved and dispersed hydrocarbons, long-term impact in gulf of Isekenderun. 381

marine microorganisms, formation of trimethylarsine oxide from

arsenobetaine, 2551 microbial degradation of guanidinium ion, 1071 veratrylglycerol-β-2,4-dichlorophenyl ether, model for lignin bound residues by Phanerochaete chrysosporium, Corynebacterium equi and photosensitised riboflavin, stereospecificity of degradation, 1137

zooplankton under outdoor conditions, effect of lindane,

Mineralisation

and sediments in northeastern Mediterranean, tin in sea water,

atrazine effect on mineralisation of n-dodecylbenzene sulphonate 1 C in soil, 1521

Models 2,4,6-trichlorophenol, aquatic environmental, evaluation with mathematical model, 2531 chlorinated anisoles and

veratroles in fish, instrumental and sensory detn, 1231 Daphnia magna, a predictive

structure-toxicity model, 1149 evaluative model, Pb distribution in roadside ecosystems, 1387

humic-, monomers, environmental photoincorporations of polychlorobenzenes, 495

plants, fate of lipophilic compds, estimation with multimedia compartment model, 2653 TCDD distribution on all territory

around Seveso, use in epidemiology and hint into dynamical models, 1765 terrestial plant biomass, use as

parameter in fugacity model, 2359

wood preservation with azaconazole, model experiments predicting aerial levels, 1281

Mutagenesis

artificially recharged ground water processed from humus rich surface water, effect of permanganate oxidation and chlorination on mutagenic activity and other qualities, 1489

mutagenic chemicals in soils, efficiency and two standardised procedures for extraction, 1243 mutagenicity investigations,

aqueous sulphite-nitrite system,

polycyclic aromatic hydrocarbons from water distribution pipes, comparison of mutagenicity and leaching, 2595

Nitrates and Nitrites

mutagenicity investigations, aqueous sulphite-nitrite system, 2479

pyrene in water containing nitrite ion, formation of 1-nitropurene by photolysis, 859 water containing nitrite or

nitrate ions, photoreaction of biphenyl, 1289

Nitro compounds 4-nitrophenol, phototransformation, quantum yield, 2213 chloronitrobenzenes, photodegradation in aqueous soln in presence of TiO₂, 809

Nitrogen oxides

erythrocyte membrane, nitrogen dioxide-induced dammage, 2371 nitrogen dioxide, reactions with naphthalene in UV-light, 519 nitrogen oxide oxidation, kinetics by ozone and by oxygen, 537

Nutrients

and suspended matter, imput into river Rhone Golfe du Lion, 417

crude oil identification with electrothermal-multiple wavelength absorption spectrometry, 983

from water pumps submerged in wells, health hazard from PCBs,

No 2 fuel oil, fish exposure, glucuronides from bile, comparison with aromatic and aliphatic n-alkyl glucuronides,

olive oil extraction plants, waste water, soil pollution, 1557 PCDD and PCDF in motor oils and

waste oils, analysis, 1649 PCDD and PCDF in motor oils, refined oils and contaminated soils, 1847

Oxidation

artificially recharged ground water processed from humus rich surface water, effect of permanganate oxidation and chlorination on mutagenic activity and other qualities,

nitrogen oxide-, kinetics by ozone and by oxygen, 537

and oxygen, kinetics of nitrogen oxide oxidation, 537 use in destruction of polychlorinated dibenzo-pdioxins and dibenzofurans in

contaminated water, 1857 UV-ozonation as a waste disposal pretreatment of pesticides, 2321

Partition coefficients

n-octanol/water-, for quantitative structure-biodegradability relationships for alcohols, ketones and alicyclic compds,

n-octanol-water-, of organic environmental chemicals in humans, correlation with their bioconcentration potential, 239

octanol-water-, using reverse phase high pressure liquid chromatography, 133 of tetrachlorobenzene isomers

between water and sodium dodecylsulphate micelles, enhanced toxicity and tissue accumulation of 1,2,4,5-isomer not related to its

lipophilicity, 803 sediment water-, and HPLC retention factors of aromatic hydrocarbons, 109

Pesticides

2,4,5-trichlorophenoxyacetic acid and 2,4,5-trichlorophenol, sunlight degradation in oxygenated aqueous suspensions

of TiO2, 1165 and herbicides, controlled release formulations in freshwater systems, 615

and herbicides, photolysis of 2,3-dihydro-5,6-dimethyl-1,4-dithiin-1,1,4,4-tetroxide, 1319 bound 1 C-fonofos residues,

formation in soil and vegetables under field conditions, 167 carbofuran-1°C, uptake by rice

plants after root zone application as controlled release formulation, 1273

kanechlors, arochlors and environmental samples, detn of non-ortho substituted, PCBs, 1631

lindane and atropine sulphate, effect on tissues of fish, a chronotoxicological approach, 1339

organo-Cl pesticides and polychlorinated biphenyls in human milk during lactation, 1301

organo-P pesticides, improved silica gel claanup method, 1065 organochlorine insecticide

residues in human fat and milk samples in S.Africa, 705 PCDDs and PCDFs, environmental fate, sources, levels and isomeric pattern in various matrices, 1603

phenmedipham, photodegradation in aqueous soln, 513

phototoxicity, biological activity, occurrence and synthesis of phenylheptatriyne, 2405

plant foliage, accumulation and release kinetics, exposure to α-and Y-HCH, p,p-DDT and DDE and PCB mixture, 2515 plants, fate of lipophilic compds, estimation with multimedia

compartment model, 2653

residues, thermolysis during

tobacco smoking, 521 terrestial plant biomass, use as parameter in fugacity model,

UV-ozonation as a waste disposal pretreatment, 2321

Petroleum

dissolved and dispersed hydrocarbons, long-term impact in gulf of Isekenderun. 381 pelagic tar, spatial and temporal variation in Mediterranean sea,

Phenols

2-biphenylol, oxidative photocyclisation in dilute aqueous soln, 1205

2,4,5-trichlorophenol production, 2,3,7,8-TCDD, assessment of contamination, use facilities and waste disposal sites, 2175 2,4,6-trichlorophenol, aquatic

environmental, evaluation with mathematical model, 2531 chlorinated anisoles and

veratroles in fish, model compds, instrumental and sensory detn, 1231

chlorophenols, degradation with Fenton's reagent, 2225 creosote compds in snails from Pensacola bay, Florida near hazardfous-waste site, 2397

cyanogen chloride, formation in reaction of monochlorinated, mononitrated or monocarboxylated benzenes, phenols and anilnes with chloramine and polymethylphenols, polychloro-phenols and polynitrophenols with chloramine, 2249 pentachlorophenol and sodium

pentachlorphenate i somerspecific analysis for 2,3,7,8-substituted PCDD and PCDF at sub-ppb levels, 1759

pentachlorophenol degradation of lignin bound residues, veratryl-glycerol-B-(pentachloro-

phenyl)ether as model, 963 pentachlorophenol in different human tissues, distribution and

bioconcentration, 887
pentachlorophenol poisoning,
levels of PCDDs and PCDFs in
human tissues, 1989
phenol-oxidase activity from soil

in La Laguna area, Spain, characterisation with bacteria,

phenol, solution factors affecting adsorption onto silstone, 1431 phenols and other compds in water, rate constants for reactions with singlet oxygen, 681

Phosphonates

aminotris(methylene phosphonate), degradability, sludge adsorption, mobility in soils and bioconcentration, 1323

Photochemistry
accelerated debromination of
biphenyls by photolysis with
sodium borohydride, 1013

aquatic microecosystems, method to assess periodic responses to photosynthetic inhibition, 287 CIR-FTIR interfacial analysis, photocatalytic degradation of

toxic organic compds on TiO2 aqueous suspensions, 1447 degradation of betanal, different excited states and spectroscopic properties, 269 degradation of chloronitrobenzenes

in aqueous soln in presence of TiO2, 809

dibenzo-p-dioxin in organic solvents at 253.7 Nm, products and GC/MS characterisation, 7

environmental incorporations of polychlorobenzenes into humic model monomers, 495 induced degradation of

diphenylhydrazones in aqueous solvents, role of peroxy radicals, 19 induced formation of oxygen

species and their reaction with organic chemicals in soln, 505 N-(dichloromethylthio) phthalimide a metabolite of folpet, 127

naphthalene, reactions with nitrogen dioxide in UV-light, 519

natural waters, reactivity of

humic acid, 523 oxidative photocyclisation of 2biphenylol in dilute aqueous

soln, 1205 pesticides, UV-ozonation as a waste disposal pretreatment, 2321

photo-induced toxicity of polycyclic aromatic hydrocarbons to fathead minnow larvae, 1395

to fathead minnow larvae, 1395
photochemical aging of humic
substances, 1463
photochemical experiments, use of
Teflon bags, 1405
photolysis of of 2,3-dihydro-5,6dimethyl-1,4-dithiin-1,1,4,4tetroxide, 1319
photoreaction of biphenyl in water
containing mirrite or nitrate

containing nitrite or nitrate ions, 1289

pyrene in water containing nitrite ion, formation of 1-nitropurene by photolysis, 859 pyrene toxicity in fish, synergism

by piperonyl butoxide and by UV light, 2291 rate constants for reactions of

singlet oxygen with phenols and other compds in water, 681

silicones in aquatic environment, oxidative photoinduced degradation, 2567

sunlight degradation of 2,4,5trichlorophenoxyacetic acid and 2,4,5-trichlorophenol in oxygenated aqueous suspensions of TiO2, 1165 toxicity, biological activity,

occurrence and synthesis of phenylheptatriyne, 2405 transformation of 4-nitrophenol, quantum yield, 2213

Photosynthesis

inhibitory activity-structure quantitative relationships in three carbamate series, 1347

Plants

conifer needles, atmospheric organic micropollutants ocxcurrence and distribution,

Florida strawberry farms, dislodgeable captan residues,

mancozeb in air, determination, occupational exposure in control of potato late blight, 2423

or potato late blight, 2423
perennial herbs as minitors of
metal fallout, 233
plant foliage, accumulation and
release kinetics, exposure to αand Y-HCH, p,p-DDT and DDE and
PCB mixture, 2515
plants, fate of lipophilic compds,
estimation with multimedia
compartment model. 2653

compartment model, 2653 rice plants, uptake of carbofuran-'C after root zone application as controlled release formulation, 1273

terrestial plant biomass, use as parameter in fugacity model, 2359

two species, comparative toxicity of T1, 929 vegetation changes and soil pollution due to heavy metals in

sinter-pavements, 1021 vegetation in Irwell valley, England, Pb concentrations, 1105 watercourse pollution, sources in Italy and mediterranean France, assessed by macrophytes, 331

Plastics

bisphenol, degradation in natural waters, 1501

Pollutants

and problems in Mamara sea, 339 brominated flame retardants, ubiquitous environmental pollutants? 2343

carbon tetrachloride destruction in stoichiometric CH,/CCl,/air

premixed flat flame, 989 chain-saw exhaust, new strategy for monitoring exposure, 99 charge-transfer interaction with dissolved humic materials. binding interaction between

these and chloranil, 1115 combustion, formation of brominated aromatics, 2451 conifer needles, atmospheric
 organic micropollutants, ocxcurrence and distribution, 2647

dibenzodioxins and dibenzofurans, brominated and brominated/chlorinated potential environmental

contaminants, 1873
erythrocyte membrane, nitrogen
dioxide-induced dammage, 2371
organic environmental chemicals in
humans, n-octanol-water partition coeffs, correlation with their bioconcentration potential, 239

organic micro-, emission during waste incineration, 813 PCDDs, monitoring in Osaka bay using blue mussel, 1817

persistent environmental chemicals, bio-indicators for monitoring the spread, 225 phenol, solution factors affecting

adsorption onto silstone, 1431 potential environmental-, PCDDs, PCDFs and mixed bromovements compds, NCI mass spectrometry for detection and screening, 713 separation by ion flotation,

trichlorofluoromethane, residence time in polyurethane foams, variability, trends and effects of temp, 759

Pollution

2,3,7,8-TCDD, assessment of contamination at 2,4,5-trichloroohenol production, use facilities and waste disposal

sites, 2175 2,3,7,8-tetrachlorodibenzo-p-dioxin long-term study of

ecosystem contamination, 1791
Cd and Hg-, interactive effect on allozyme polymorphisms in Cerithium scabridum, 543 dioxin Missouri update, 1986, 1869 due to heavy metals in sinterpayements, changes in vegetation pavements, changes in vegetation and soil, 1021

environmental-, impact on life in Mediterranian, opening address of 3rd international congress,

heavy metal-, in Guadiamar river

and Guadalquivir estuary, 463 heavy metal-, in rivers and lakes of northern Greece, 455 impact on copepod community of eastern Adriatic coast, 369

olive oil extraction plants, waste water, soil pollution, 1557 organic-, correlation of some

factors in water systems in morthern Greece, 395 Pb distribution in roadside ecosystems, evaluative model, 1387

PCBs, α- and Y-hexachloro-cyclohexane, 4,4'-DDE and 4,4'-DDT in Cintinental air, 2497

research and monitoring, coordinated programme for Mediterranean, 633

seawater-, and morbidity among bathers on Mediterranean beaches of Israel, 565

terrestial plant biomass, use as parameter in fugacity model, 2359

watercourse-, sources in Italy and mediterranean France, assessed by macrophytes, 331

wood burning-, diurnal variations in Canada, 155

wood preservation with azaconazole, model experiments predicting aerial levels, 1281

Polycyclic aromatic compounds benz[a]anthracene, biogeochemistry at sediment water interface, 2429

fluoranthene, light-dependent cytotoxicity, oxygen-dependent membrane damage, 2417 halogenated polycyclic aromatic

hydrocarbons, analysis in air, snow and automobile exhaust,

polycyclic and polyhalogenated compds, formation and emmision from municipal waste incinerators, 143 polycyclic aromatic hydrocarbons

from water distribution pipes, comparison of mutagenicity and leaching, 2595

polycyclic aromatic hydrocarbons, bioavailability from coalderived solid product, leaching study, 2613

Teflon bags, use in photochemical experiments, 1405

Polymorphism

allozyme poylmorphisms in

Cerithium scabridum, interative
effects of Cd and Hg pollution,

Proteins

2,3,7,8-TCDD, AHH induction activity, effects of receptor modulators in C57BL/6 abd DBA/2 mice, 1687

Ah receptor binding of substituted aryl hydrocarbons, a QSAR analysis, 1719

binding protein for PCBmetabolite, characterisation in bronchoalveolar lavage from healthy smokers and non-smokers,

chlorinated dioxins and related compds, intracellular highaffinity binding proteins, 2187

dioxin receptor, structure and function, DNA-binding protein similar to steroid hormone receptor, 1681 PCB methyl sulphones, physico-

chemical and immunochemical characterisation of a binding protein, 1677

trichlorofluoromethane, residence time in polyurethane foams, variability, trends and effects of temp, 759

Pyrolysis

1,2,3,4-tetrabromodibenzodioxin pyrolysis, Cl-Br exchange with chlorine donors, 1579

brominated diphenyl ethers, biphenyls and plastic mixtures

of these compds, formation of PBDF and PBDD, 277 brominated flame retardants, pyrolysis and GC/MS analysis in on-line operation, 1353

of polybrominated diphenyl ethers, -biphenyls, dibenzodioxins and -dibenzofurans, PVC-induced C1-Br exchange, 297

Radicals

peroxy-, role in photo-induced
 degradation of diphenyl hydrazones in aqueous solvents,

photodegradation of betanal, different excited states and spectroscopic properties, 269

degradation of chlorophenols with Fenton's reagent, 2225 toxicity of alkylating agents, alternative for nitrobenzylpyridine test, 2365

Receptors

2,3,7,8-TCDD, AHH induction activity in C57BL/6 and DBA/2 mice, effect of receptor antagonist, 1,3,6,8-tetra-chlorodibenzofuran, 1739

2,3,7,8-TCDD, AHH induction activity, effects of receptor modulators in C57BL/6 abd DBA/2 mice, 1687

Ah receptor, binding of substituted aryl hydrocarbons, a QSAR analysis, 1719 chlorinated dioxins and related

compds, intracellular high-

affinity binding proteins, 2187 dioxin receptor, structure and function, DNA-binding protein similar to steroid hormone receptor, 1681

rats, role of Ah receptor in mediating down regulation of uterine and hepatic estrogen receptor levels, 1691

['H] TCDF synthesis and characterisation as a radioligand for Ah receptor, 1733

Sediments

and fresh water and estuarine water, biotic and abiotic degradation rates of methyl parathion, 1509

benz[a]anthracene, biogeochemistry
 at sediment water interface, 2429

chlorinated hydrocarbons in sediments of Elbe river and

estuary, 2487 contaminated Wisconsin riverbioavailability of PCDDs and

PCDFs to fresh water fish, 667 heavy metals from municipal runoff to sediments of lake
Pontchartrain, Louisiana, 2579
PCBs in water, sediments and fish
of Kupa river, yugoslavia, 2351
PCDDs and PCDFs in air,

particulates, sediments and

soil, 1775 physicochemical properties and benthic organisms in polluted stream, effect of high-levels of polycyclic aromatic hydrocarbons, 1053

polybrominated biphenyl ethers in marine fish, shellfish and river and marine sediments, 2389 samples collected from Iskenderun bay, Hg and Sn in, 445 sediment-water partition coeffs

and HPLC retention factors of aromatic hydrocarbons, 109 sedimentation of 74 PCB congeners

in upper Hudson river, 733

activated sludge, algae and fish, concentration factors, environmental hazard profile of 1°C labelled organic compds, 589 aminotris(methylene phosphonate), degradability, sludge adsorption, mobility in soils and bioconcentration, 1323 disposal, bacteriological contamination in eastern part of gulf of Trieste, 551 PCDDs and PCDFs, fate, sources,

levels and isomeric pattern in various matrices, 1603

sewage sludge burning incinerator, emission of chlorinated organics, 1895

2,3,7,8-TCDD, estimation of human exposure, 1851 aerobic and anaerobic soil,

biomineralisation rates of 1 °C-

labelled organic chemicals, 1031 air, water and soil, release of organic chemicals, 117 aminotris(methylene phosphonate),

aminotris(methylene phosphonate),
degradability, sludge
adsorption, mobility in soils
and bioconcentration, 1323
atrazine, analysis in underground
waters in parts per trillion
levels, early warning method for
contamination and soil
distribution, 1425
bacteria, characterisation with

bacteria, characterisation with phenol-oxidase activity from soil in La Laguna area, Spain, 2627

bound 1 C-fonofos residues, formation in soil and vegetables under field conditions, 167 degradation of bromacil, diuron

and chlorotoluron, 1003 dioxin congener profiles near combustion sources, evaluation

of potential governing mechansms, 1095 from central and southern Wales, PCB concentrations, 1583

in Irwell valley, England, Pb concentrations in vegetation, 1105

mineralisation of n-dodecylbenzene sulphonate - 1°C in soil, effect of atrazine, 1521

mutagenic chemicals in soils, efficiency and two standardised procedures for extraction, 1243 near combustion sources, PCDDs

congener group profiles, simulation and evaluation of potential physical and mass transfer phenomena, 1841

olive oil extraction plants, waste water, soil pollution, 1557 PCDD and PCDF in motor oils, refined oils and contaminated soils, 1847

PCDDs and PCDFs in air, particulates, sediments and soil, 1775

peat soil, Hg leaching, 1215 pollution and vegetation changes due to heavy metals in sinter-pavements, 1021

pyrethroid insecticides, persistence in soil before and after formulation, 1311 south Swedish soils, changes in acidity and cation pools between 1949 and 1985, 2239

TCDD contaminated soil, animals exposure, potential residues in derived foods, 2123 volatility of YCDD and PCB, 907

organic-, photochemistry of dibenzo-p-dioxin at 253.7 Nm, products and GC/MS characterisation, 7

Spectrometry and Spectroscopy

aromatic and aliphatic n-alkyl glucuronides, synthesis and comparison with glucuronides from bile of fish exposed to No 2 fuel oil, 1381 chloridazone, adsorption by

montmorillonite, 937

chromatographic separation and identification of PCDD/PCDF isomers by CI and EI mass spectrometry, 1625 crude oil identification with

electrothermal-multiple wavelength absorption spectrometry, 983 electrophilic bromination of

dibenzo-p-dioxin, 1661

high resolution emission-, new analysis of aromatic polycyclic hydrocarbons in environmental samples, 485

mussels, identification of volatile organic components, 2559

organoarsenic compds in fisf and algae, exact mass measurement using fast atom bombarment mass

spectrometry, 91 PCB methylsulphone, synthesis, differences in mass and PMR

spectroscopy, 2299
PCBPs synthesis, structural
characteristics of 2,3,6,7-TCBP
and analysis for PCBPs in human adipose tissue by NCI mass spectrometry, 2057

PCDFs, detn in surface water by liquid chromatography using on-

line sample preconcentration and different spectroscopic techniques, 1123
PCFD metabolites, synthesis and mass spectral properties, 1641
photochemistry of dibenzo-p-dioxin in organic solvents at 253.7 Nm,

products and GC/MS characterisation, 7 photodegradation of betanal,

different excited states and

spectroscopic properties, 269 tetrachlorobenzene-related compds, synthesis, characterisation and chromatography, 2467 tetrachlorobenzofurans, gas

chromatographic and spectro-metric characteristics, 1655

Steroids

dioxin receptor, structure and function, DNA-binding protein similar to steroid hormone receptor, 1681

Structure-Activity relationship dibenzo-p-dioxins, polybrominated and chlorinated, synthesis, biologic and toxic effects and structure-activity relationships, 1729 triparametric equation to describe QSARs for heterogeneous chemicals, 1043

mutagenicity investigations. aqueous sulphite-nitrite system,

N-(dichloromethylthio) phthalimide a photo-metabolite of folpet 127 PCB, hydroxymethylsulphone metabolites in Yusho patients,

Scenedesmus obliquus, naphthalenesulphonic acids as source of sulphur, 1565

Surfactants

betanal, photodegradation, different excited states and spectroscopic properties, 269

Suspended matter

and nutrients, imput into river Rhone Golfe du Lion, 417

aquatic microecosystems, method to assess periodic responses to photosynthetic inhibition, 287 biodegradation tests for poorly

soluble compds, 833 biodegradability assessment, toxicity evaluation of

substances, 2259 BOD-, determination of biodegradation of alcohols and

ketones, 695 chlorinated dioxins, comparison of risk assessments by A.D.I.values and by incremental cancer risk estimates, 2141

chlorinated residues, valorisation via high temp incineration and recovery of HCl and energy, 1929

crude oil identification with electrothermal-multiple wavelength absorption

spectrometry, 983 Hg and methyl mercury in scalp hair of inhabitatnts from

Mediterranean areas, 877 in-situ Hg speciation in flue gas liquid and solid sorption systems, 821

incinerator testing and evaluation programme, air pollution control technology in Canada, 1923

ketones, vapour pressure and gas-film coeffs, 69

municipal waste incineration technology, 2199 mussels, identification of

volatile organic components, 2559

mutagenic chemicals in soils, efficiency and two standardised procedures for extraction, 1243 non-ortho substituted PCBs, detn

in kanechlors, arochlors environmental samples, 1631 organo-P pesticides, improved

silica gel cleanup method, 1065 PCDD congener group, lab simulation and potential mechanisms to explain ratio behaviour on particulates from combustion sources, 1753

PCDFs, detn in surface water by liquid chromatography using online sample preconcentration and different spectroscopic techniques, 1123

phenol, solution factors affecting adsorption onto silstone, 1431 pollutants, separation by ion

flotation, 623 polychlorinated biphenyl congeners, fingerprint in samples of human subcutaneous adipose tissue, 2315

polychlorinated biphenyl residues in fish and shellfish in Tapei,

polychlorinated dibenzo-p-dioxins and dibenzofurans in wastes of technical hexachlorocyclohexane.

prediction of ecotoxicological activity by

sediment-water partition coeffs and HPLC retention factors of aromatic hydrocarbons, 109

soils near combustion sources PCDDs congener group profiles, simulation and evaluation of potential physical and mass transfer phenomena, 1841

transmission and scanning microscopic characterisation of mouse hepa 1 hepatoma cells after treatment with 2,3,7,8tetrachloro-p-dibenzodioxin,

tributyltin chloride present in sea water, solid phase extraction GC separation and EC detection, 61

watercourse pollution, sources in Italy and mediterranean France, assessed by macrophytes, 331

Technology

German national research centers,

Tests

biodegradation tests for poorly soluble compds, 833

Theoretical studies

cypermethrin, environmental distribution and fate, prediction, 1373

Thermolysis

pesticide residues during tobacco smoking, 521

Tissues and Tissue fluids 2,3,7,8-TCDD, human exposure, inhalation via emissions and ingestion via cow's milk, 2079

accumulation and enhanced toxicity of 1,2,4,5-isomer of tetra-chlorobenzene not related to its lipophilicity, 803 adipose tissue in normal subjects,

levels of polychlorinated quaterphenyl congeners, 1419 adipose tissue of U.S. veterans

from Vietnam war, elevated levels of 2,3,7,8-tetrachloro-dibenzodioxin, 1997 bronchoalveolar lavage from

healthy smokers and non-smokers, characterisation of binding protein for PCB-metabolite, 1667

Cd distribution on cells. protective effect of different envelopes, marine bacterial investigation, 2623 chlorodibenzo-p-dioxins in feral pigeons, 1749 different human-, distribution and

bioconcentration of

pentachlorophenol, 887 erythrocyte membrane function, effect of sodium fluoride, reference to metal ion transport in rabbits, 1087

erythrocyte membrane, nitrogen dioxide-induced dammage, 2371

Hg and methyl mercury in scalp hair of inhabitatnts from Mediterranean areas, 877

human adipose tissue, analysis for PCBPs by NCI mass spectrometry, PCBPs synthesis, structural characteristics of 2,3,6,7-TCBP,

human adipose tissue, detn of 2,3,7,8-TCDD, on whole weight and lipid bases, 935

human adipose tissue, TCDD levels distribution, statistical evaluations reflect misleading interpretations, 2135 human breast milk from Vietman and

USA, comparison of polychlorinated dibenzo-p-dioxin and dibenzofuran levels, 2003

human fat sampling for dioxin

analysis, 2063 human milk during lactation, presence of organo-Cl pesticides and polychlorinated biphenyls,

human milk from West Germany, presence of polychlorianted dibenzodioxins and dibenzofurans, 1983

human milk, presence of chlorinated dioxins and dibenzofurans, health hazard assessment, 2147 human mother's milk, interactive

effects of PCDDs and PCDFs, 1701 human subcutaneous adipose tissue. polychlorinated biphenyl congener fingerprint in samples,

human tissue levels of dioxins and

furans, 2195 human tissues and food in Japan, levels of PCDDs and PCDFs, 2047 human tissues, levels of PCDDs and PCDFs after pentachlorophenol poisoning, 1989 membrane damage, oxygen-dependent,

and light-dependent cytotoxicity of fluoranthene, 2417 membrane permeation of hydrophobic

compds, effect on biodegradation

kinetics, 1361 mouse hepa 1 hepatoma cells, transmission and scanning microscopic characterisation after rearment with 2,3,7,8tetrachloro-p-dibenzodioxin,

muscle of British fresh water fish, presence of Hg, Pb amd Cd,

of fish, effect of lindane and atropine sulphate, a chronotoxicological approach, 1339

PCB methyl sulphones, physicochemical and immunochemical characterisation

of a binding protein, 1677
PCDDs and PCDFs, environmental
fate, sources, levels and
isomeric pattern in various
matrices, 1603
PCDds and PCDFs, levels in samples

of human origin and food in federal republic of Germany,

polychlorinated dibenzo-p-dioxins and dibenzofurans, levels in persons with high and normal levels of 2,3,7,8-tetrachlorodibenzo-p-dioxin, 2027

rat liver, subcellular distribution of 2,3,4,7,8pentachlorodi benzofuran, 1695

rats, role of Ah receptor in mediating down regulation of uterine and hepatic estrogen receptor levels, 1691 target cells and tissues in

different species, identi-fication of PCB methyl sulphones and related compds, 1671 tissues of normal and Yusho

patients, presence of polychlorinated PCDF congeners, 2039 tissues of Yusho patients from

Japan and China, comparison of PCDDs and PCDFs, 2017

Tobacco

bronchoalveolar lavage from healthy smokers and non-smokers, characterisation of binding protein for PCB-metabolite, 1667 thermolysis of pesticide residues, during smoking, 521

Toxicity

biodegradability assessment, toxicity evaluation of substances, 2259 boron levels in ground waters of

Halkidiki, 419 comparative, of T1 to two plant species, 929

Daphnia magna, a predictive structure-toxicity model, 1149 dioxins and dibenzofurans, recent findings and comments on pharmacokinetic, biochemical effects and animal toxicology,

enhanced toxicity and tissue accumulation of 1,2,4,5-isomer of tetrachlorobenzene not related to its lipophilicity, 803

fluoranthene, light-dependent cytotoxicity, oxygen-dependent membrane damage, 2417

Hg and methyl mercury in scalp hair of inhabitatnts from Mediterranean areas, 877 lindane and atropine sulphate, effect on tissues of fish, a chronotoxicological approach, 1339

PCB congener analysis, critical evaluation of toxic levels in biota, 2585

photo-induced toxicity of polycyclic aromatic hydrocarbons to fathead minnow larvae, 1395

phototoxicity, biological activity, occurrence and synthesis of phenylheptatriyne, 2405

polyprominated and chlorinated dibenzo-p-dioxins, synthesis, biologic and toxic effects and structure-activity relationships, 1729

pyrene toxicity in fish, synergism by piperonyl butoxide and by UV light, 2291

tetrachlorobenzene-related compds, synthesis, characterisation and chromatography, 2467 toxic coplanar PCBs in biota,

occurrence and distribution, 1965

toxicity of alkylating agents, alternative for nitro-benzylpyridine test, 2365

triparametric equation to describe QSARs for heterogeneous chemicals, 1043

1,2,4,5,7,8-hexachloroxanthene, measurement and significance in environment, 869

aquatic microecosystems, method to assess periodic responses to photosynthetic inhibition, 287 and Sn in gulf of Iskenderun,

in vitro induction of AHH by 2,3,7,8-TCDD and related toxic halogenated aryl hydrocarbons in rate hepatoma cells for quantitative detn of toxins, 791

microbial degradation of guanidinium ion, 1071 mutagenicity investigations,

aqueous sulphite-nitrite system, 2479

Transformers

fires involving PCB transformers and capacitors, formation of chlorinated combustion products,

PCB transformer incident. Binghamton state office, 1981-1987, 2155

Transport

organic waste-, lignin residues as tracers, 171

Vapour pressure bound 1°C-fonofos residues, formation in soil and vegetables under field conditions, 167

Volatilisation

mussels, identification of volatile organic components, 2559

vapour pressures and gas-film coeffs of ketones, 69 volatility of YCDD and PCB in soil, 907

2,3,7,8-TCDD and PCDDs, evaluation in fly ash from refuse

incinerators, 1865 2,3,7,8-TCDD, assessment of contamination at 2,4,5trichloroohenol production, use facilities and waste disposal sites, 2175 chlorinated residues, valorisation

via high temp incineration and recovery of HCl and energy, 1929 combustion, emission and

chlorination pattern of PCDD/PCDF, 1221 coordinated programme for research

and monitoring of pollution in Mediterranean, 633 creosote compds in snails from Pensacola bay, Florida near hazardfous-waste site, 2397

halogenated organic acids, characterisation in flue gases from municipal incinerators,

incineration, emission of organic

micropollutants, 813
incineration, guidlines based on
theory and practise, 1943
in-situ Hg speciation in flue gas
by liquid and solid sorption

systems, 821
lipophilic volatile organohalogen

compds, formation during laboratory chlorination of ground water samples from Yugoslavia, 2279

municipal incinerators, formation and emmision of polycyclic and polyhalogenated compds, 143 municipal waste incineration

technology, 2199 new MSW incinerators, experiences

from Sweden, 1937 organic-, transport, lignin residues as tracers, 171

PCB liquid waste incinerators, measurement of combustion

products, 1889 PCDD/PCDF, formation in fly ash from waste incinerators, 1917 pesticides, UV-ozonation as a waste disposal pretreatment,

Water

air, water and soil, release of organic chemicals, 117

organic chemicals, 117
and sodium dodecylsulphate
micelles, partition coeffs
oftetrachlorobenzene isomers,
enhanced toxicity and tissue
accumulation of 1,2,4,5-isomer
not related to its
lipophilicity, 803

artificially recharged ground water processed from humus rich surface water, effect of permanganate oxidation and chlorination on mutagenic activity and other qualities, 1489

benz[a]anthracene, biogeochemistry at sediment water interface, 2429

environmental conditions in Abu Kir bay, physico-chemical characteristics and water circulation, 361

circulation, 361 ground waters of Halkidiki, boron levels in, 419

lipophilic volatile organohalogen compds, formation during laboratory chlorination of ground water samples from Yugoslavia, 2279

olive oil extraction plants, waste

water, soil pollution, 1557
PCDFs, detn in surface water by
liquid chromatography using online sample preconcentration and
different spectroscopic
techniques, 1123

polychlorinated dibenzo-p-dioxins and dibenzofurans, destruction in contaminated water using ozone, 1857 polycyclic aromatic hydrocarbons

polycyclic aromatic hydrocarbons from water distribution pipes, comparison of mutagenicity and leaching, 2595

leaching, 2595
pumps submerged in wells, health
hazard from PCBs in pump oil, 37
rate constants for reactions of
singlet oxygen with phenols and
other compds, 681

other compds, 681 samples, detn of phenoxy acid herbicides, 527

sediment-water partition coeffs and HPLC retention factors of aromatic hydrocarbons, 109

arcmatic hydrocarbons, 109
sorption of hydrophobic chemicals
from water, hypothesis for
mechanism of particle
concentration effect, 745

underground waters, atrazine analysis in parts per trillion levels, early warning method for contamination and soil distribution, 1425

Wood

burning, diurnal variations of pollution in Canada, 155 lignin bound pentachlorophenol

lignin bound pentachlorophenol residue degradation, veratryl-glycerol-ß-(pentachlorophenyl)ether as model, 963

phenyl)ether as model, 963
lignin bound residues,
veratrylglycerol-B-2,4dichlorophenyl ether as model by
Phanerochaete chrysosporium,
Corynebacterium equi and
photosensitised riboflavin,
stereospecificity of
degradation, 1137

lignin residues as tracers of organic waste transport, 171 preservation with azaconazole, model experiments predicting aerial levels, 1281

Xanthenes

1,2,4,5,7,8-hexachloroxanthene, measurement and significance in environment, 869

Xenobiotics

biotransformation kinetics in natural waters by aufwuchs communities, 49 xenobiotic conjugates, synthesis and ¹³C NMR analysis, 1381

AUTHOR INDEX 1987

Abernathy A.R see Nicholas W.D. 287 Agelidis T see Fytianos K. 455 Agursky T see Fattal B. 565 Ahlborg U.G., Waern F. and Hakansson H. Interactive effects of PCDDs

and PCDFs occurring in human mother's milk, 1701

Al-Sarawi M. Contribution of Kuwait foundation for the advancement of sciences toward environmental

research, 651

Ala-Peijari T see Vartiainen T. 1489
Alif A., Boule P. and Lemaire J. Comportement photochimique du nitro-4 phenol en solution

aqueuse, 2213 Alley C.C see Barnhart E.R. 2057, see Needham L.L. 2027

Allus M.A., Martin M.H. and Nickless G. Comparative toxicity of thallium to two plant species, 929

Alsberg T see Haglund P. 2441, see Sellström U. 945 Alston D see Jones K.H. 2183

Ambe Y see Yokouchi Y. 1143 Anderson C., Hochgeschwender K., Weidemann H. and Wilmes R. Studies of the oxidative photo-

induced degradation of silicones in the squatic evironment, 2567

Anderson M.A see Tunesi S. 1447

Andersson O., Lund J. and Ripe E. A binding-protein for the PCB-metabolite 4,4'-bis(methyl-sulfonyl)-2,2',5,5'-tetrachlorobiphenyl: characterization in bronchoalveolar lavage from healthy smokers and non-smokers, 1667

Andersson R see Rappe C. 1603
Andrews J see Needham L.L. 2027
Apostolopoulou A see Voulgaropoulos
A. 395

Arghestani S see Schecter A. 1997 Arms A.D see Travis C.C. 117 Artuz M.I see Baykut F. 339

Arvanitoyannis I., Eleftheriadis I. and Kavlentis E. Treatment of dye-containing effluents with different bentonites, 2523

Asada S., Matsushita H., Morita M. and Hamada Y. Determination of chlorodibenzodioxins and chlorodibenzofurans discharged from several municipal incinerators in Japan, 1907

Asahi M see Nagayama J. 2073, see Takenaka S. 1419

Asahi M. and Urabe H. A case of "Yusho"-like skin eruptions due to halogenated PCB-analogue

compounds, 2069
Ashley D.L see Barnhart E.R. 2057
Aslander O. and Modig S. programm
for action in Sweden to limit emissions of PCDDs and PCDFs from waste-to-energy plants, 1911

Asplund L see Jansson B. 2343 Astles D.J., Pearce R., Griller D., Schwartz H.M. and Villeneuve D.C. Partitition coefficients of tetrachlorobenzene isomers between water and sodium dodecylsulfate micelles: relation to toxicity, 803 Athar M see Misra M. 259 Autio S see Lodenius M. 1215 Aydin A see Baykut F. 339

Bacci E see Calamari D. 2359
Bacci E.,Calamari D.,Gaggi C. and
Vighi M. An approach for the
prediction of environmental distribution and fate of cyper-

methrin, 1373

Bacci E. and Gaggi C. Chlorinated hydrocarbon vapours and plant foliage: kinetics and

applications, 2515

Badsha K.S see Eduljee G.H. 1583, see Fielding A.H. 1105

Bagby J.R see Needham L.L. 2027

Bagnati R see Davoli E. 1425

Bahadir M see Lorenz W. 521, see

Oxynos K. 225
Bahadir M., Lorenz W. and Korte F.

Einfluss unterschiedlicher Formulierungen auf die Stabilität und insektizide Wirkungen von Pyrethroiden im

Boden, 1311 Bahadir M. Safe formulations of

agrochemicals, 615

Bahadir M. and Pfister G. Uptake of carbofuran-1°C by rice plants after root zone application as a controlled release formulation,

Bahig M.E see Scheunert I. 1521 Baker G.A see Wiersma G.B. 2631

Bakthavathsalam R., Ravikumar G. and Balasubramanian U. Effects of lindane and atropine sulphate on the tissues of the fish, <u>Anabas</u> <u>testudineus</u> (Bloch) - a chronotoxicological approach, 1339

Balasubramanian U see Bakthavathsalam R. 1339 Ballschmiter K see Wittlinger R.

Bannister R. and Safe S. The effects of receptor antagonists on the AHH induction activity of 2,3,7,8-TCDD in C57BL/6 and

2,3,7,8-TCDD in C57BL/6 and DBA/2 mice: 1,3,6,8-tetrachloro-dibenzofuran, 1739

Bannister R.,Kelley M. and Safe S. The effects of receptor modulators on the AHH induction activity of 2,3,7,8-TCDD in C57BL/6 and DBA/2 mice, 1687

Banoub J.H see Hellou J. 1381

Barbeni M., Minero C., Pelizzetti E., Borgarello E. and Serpone N. Chemical degradation of chlorophenols with Fenton's reagent (Fe², + H₂O₂), 2225 Barbeni M.,Morello M.,Pramauro

E., Pelizzetti E., Vincenti M., Borgarello E. and Serpone N. Sunlight photodegradation of 2,4,5-trichlorophenoxy-acetic acid and 2,4,5,trichlorophenol on TiO₂. Identification of intermediates and degradation

pathway, 1165
Bard D see Abenhaim L. 2129
Bargagli R.,Barghigiani C. and
Maserti B.E. Erratum, 3
Barghigiani C see Bargagli R. 3 Barlas H. and Parlar H. Reactions of naphthaline with nitrogendioxide in UV-light, 519

Barnhart E.R., Patterson D.G., Jr., Ashley D.L., Alley C.C. and MacBride J.A.H. Synthesis of polychlorinated biphenylenes (PCBPs): structural characterization of 2,3,6,7-TCBP; and analysis for PCBPs in human adipose tissue by negative-ion chemical ionization (NCI) mass spectrometry, 2057 Basu D.K., Saxena J., Stoss

F.W., Santodonato J., Neal M.W. and Kopfler F.C. Comparison of drinking water mutagenicity with leaching of polycyclic aromatic hydrocarbons from water

distribution pipes, 2595 Batterman A.R see Kuehl D.W. 657, 1372, 667

Baumann R.A., Blanco Gonzalez E., Frei R.W., Gooijer C. and Velthorst N.H. Determination of polychlorinated dibenzofurans in surface water by means of liquid chromatography using on-line sample preconcentration and different spectroscopic detection techniques, 1123

Baykut F., Aydin A. and Artuz M.I. Ecological situation of sea of Marmara, 339

Bélanger A see Khan S.U. 167

Beck H., Eckart K., Kellert M., Mathar
W., Rühl Ch.-S. and Wittkowski R.
Levels of PCDFs and PCDDs in samples of human origin and food in the federal republic of Germany, 1977
Belli G see Ratti S.P. 1765

Belser W.T see Patterson D.G., Jr. 935

Bendixen E.L. and Nielsen P.R. A guideline for incineration of waste based on theory and

practical experiences, 1943
Benestad C., Jebens A. and Tveten G. Emission of organic micropollutants from waste

pollutants from waste incineration, 813 Benfenati E see Davoli E. 1425 Bennett W.E., Maas J.L., Sweeney S.A. and Kagan J. Erratum, 5

Benoit F.M see Schwartz H. 2467
Beppu M see Kogi K. 2371
Bergman A see Brandt T. 1671, see
Haglund P. 2441, see Sellström

Bergqvist P.-A see Rappe C. 1603 Bergström J see Oberg T. 2451 Bergström J.G.T see Oberg T. 1221 Bertazzi P.A see Ratti S.P. 1765 Beyerle-Pfnür R see Kotzias D. 1463 Blanco Gonzalez E see Baumann R.A.

Blok J see de Morsier A. 833, see

Reynolds L. 2259

Boethling R.S see Vaishnav D.D. 695

Boggs G.U see VanDell R.D. 973

Bond G.G see Cook R.R. 2111, see

Sobel W. 2095

Bond G.G., Cook R.R., Brenner F.E. and McLaren E.A. Evaluation of mortality patterns among chemical workers with chloracne, 2117

Bontinck W.J see de Morsier A. 833, see Reynolds L. 2259

Boozer E.L see Patterson D.G., Jr.

935 Borgarello E see Barbeni M. 2225,

Boule P see Alif A. 2213, see Seffar

A. 1205 Bourquin A.W see Pritchard P.H. 1509

Boyd R.K see Waddell D.S. 1655 Brandt T. and Bergman A. PCB methyl sulphones and related compounds: identification of target cells and tissues in different

species, 1671 Braun H see Metzger M. 821 Breittmayer J.-P see Zsürger N. 921 Brenner F.E see Bond G.G. 2117 Bressi G see Ratti S.P. 1765

Bridle T see Hatti S.P. 1765
Bridle T see Hay D.J. 1923
Brisk M.A see Melcer M.E. 1115
Brohede C see Rappe C. 1603
Brown D. and Hamburger B. The
degradation of dyestuffs: Part III - investigations of their

ultimate degradability, 1539

Brown K.W see Maggard L.A. 1243

Brown M.P see Bush B. 733

Brownson P.J see Sobel W. 2095 Brunner H see Hagenmaier H. 1759

Bryan A.M see Olafsson P.G. 2585 Budde W.L see Stanker L. 1635 Buser H.-R. Brominated and brominated/chlorinated dibenzodioxins and dibenzofurans: potential environmental

contaminants, 713

Buser H.-R. Brominated and brominated/chlorinated dibenzodioxins and dibenzofurans: potential environmental

contaminants, 1873

Bush B., Shane L.A., Wahlen M. and
Brown M.P. Sedimentation of 74 PCB congeners in the upper Hudson River, 733

Butte W see Fooken C. 1301

Butterworth B.C see Kuehl D.W. 667,

657, 1372

Byrne A.R see Dermelj M. 877 Byrne C.J. and DeLeon I.R. Contributions of heavy metals

from municipal runoff to the sediments of Lake Pontchartrain, Lousiana, 2579

Calamari D see Bacci E. 1373, see

Vighi M. 1043 Calamari D., Vighi M. and Bacci E. The use of terrestrial plant biomass as a parameter in the fugacity model, 2359
Calmon J.-P see Taillandier G. 1347

Catallo W.J. and Gambrell R.P. The effects of high levels of polycyclic aromatic hydrocarbons on sediment physicochemical properties and benthic organisms

in a polluted stream, 1053 Ceccherelli V.U., Gaiani V. and Ferrari I. Trophic state gradients and zooplankton and zoobenthos distribution in a PO river Delta lagoon, 571 Cerlesi S see Ratti S.P. 1765

Chambon P see Devillers J. 1149 Chambon R see Devillers J. 1149 Chan H.H see Chou S.S. 1835 Chan K.-W see Hoff R.M. Chandra S see Misra M. 259 Chastrette M see Devillers J. 1149 Chittim B see Safe S. 1723 Chittin B.G see Waddell D.S. 1655 Chiu C., Li K., Thomas R.S. and Lao

R.C. Chromatographic separation and identification of PCDD/PCDF isomers by CI and EI mass

spectrometry, 1625
Chiu C., Halman R., Lanoy M., Li K., Lao
R.C. and Poole G. Refined analytical procedures to detect and measure PCDD/PCDF, PAH, PCB, CB, and CP in environmental samples, 1619 Chou C.-S see Dorn P.B. 1501

Chou S.S., Ho K.C. and Chan H.H. Routine determination of polychlorinated biphenyl residues in fish and shellfish in Taipei County, 1835

Choudhry G.G., van den Broecke J.A., Webster G.R.B. and Hutzinger O. Environmental photoincorporations of polychlorobenzenes into several

humic model monomers, 495
Christmann W see Rotard W. 1847
Christmann W., Rotard W., Lattner
A., Mann W., Reichert A., Reiss S.
and Schinz V. Analytical procedure in the analysis of mineral oils and related matrices for PCDD and PCDF, 1649

I see Schwartz H. 2467 Civili F.S. and Jeftic L. The co-ordinated programme for reseach and monitoring of pollution in the Mediterranean, 633 Clément R.L see Flatau G.N. 2623

Clement R.E., Tosine H.M., Osborne J., Ozvacic V., Wong G. and Thorndyke S. Emissions of chlorinated organics from a municipal sewage sludge burning incinerator, 1895

Clement R.E. Municipal waste incineration technology Rapporteur's comments, 2199
Cockerham L.G see Young A.L. 1791
Colquhoun K.O see Smith A. 1555

Connell D.W. Age of PCB concen-tration relationship with the striped bass (Morone saxatilis) in the Hudson riber and Long Island sound, 1469

Connett P. and Webster T. An estimation of the relative human exposure to 2,3,7,8-TCDD emissions via inhalation and ingestion of cow's milk, 2079

Constable J.D see Schecter A. 2003, 1997

Constable J.D. and Schecter A. Human fat sampling for dioxin analysis, 2063

Cook P.M see Kuehl D.W. 667, 657, 1372

Cook R.R see Bond G.G. 2117, see

Sobel W. 2095 Cook R.R., Bond G.G., Olson R.A. and Ott M.G. Update of the mortality experience of workers exposed to chlorinated dioxins, 2111

Coppock C see Jones D. 1743 Cordón R see Cabrera F. 463 Corominas E see Garcia-Pareja M.P.

Coutant R.W see Edgerton S.A. 1475 Cripe C.R see Pritchard P.H. 1509 Crimett W.B see Pritchard P.H. 1909
Crumett W.B see Nestrick T.J. 777
Cummings J.B., Korb B.R., Evans T. and
Kravitz R.A. Assessment oif
2,3,7,8-TCDD contamination at
2,4,5-trichlorophenol production
and manufacturing use facilities
and associated waste disposal

sites, 2175 Cundy V.A., Morse J.S., Lester T.W. and Senser D.W. An investigation of a near - stoichiometric CH./CCl./air premixed flat flame, 989 Cuthill S see Poellinger L. 1681

Czeskleba-Dupont R. A comparison of risk assessments for chlorinated dioxins by A.D.I.-values and by incremental cancer risk estimates, 2141

Davidson B.M see Valkirs A.O. 201 Davoli E., Benfenati E., Bagnati R. and Fanelli R. Analysis of atrazine in underground waters at part per trillion lelvels as an early warning method for contamination and for soil dis-1425

tribution studies, 1425

De Kock A.C. and Lord D.A. A simple procedure for determining octanol-water partition coefficients using reverse phase high performance liquid

chromatography (RPHPLC), 133 DeLeon I.R see Byrne C.J. 2579 Deneer J.W., Sinnige T.L., Pauly J., Seinen W. and Hermens J.L.M. An alternative for the nitrobenzylpyridine test for the description of the toxicity of alkylating agents, 2365

Dennison J.W see Travis C.C. 117 Denomme M.A see Mason G. 1729 rmelj M., Horvat M., Byrne A.R. and Stegnar P. Mercury, methyl-mercury and selenium in scalp hair of inhabitants from

Mediterranean areas, 877 Devereux T see Lund J. 1677

Devillers J., Chambon P., Zakarya D., Chastrette M. and Chambon R. A predictive structure-toxicity model with Daphnia magna, 1149
Dich J see Wiklund K. 2107
Dobrowolsk see Janicki K. 253
Donnelly J.R see Munslow W.D. 1661, see Sovocool G.W. 221 Donnelly K.C see Maggard L.A. 1243 Dorgham M.M see Osman M.M. 361 Dorgham M.M. and Osman M.M. Environ-

mental conditions in Abu Kir Bay, East of Alexandria. II. Plankton distribution, down-stream from landbased effluents, 559 Dorn P.B., Chou C.-S. and Gentempo

J.J. Degradation of bisphenol A

in natural waters, 1501 Drevenkar V see Smit Z. 2351 Dueck Th.A., Endedijk G.J. and Ikkink H.G.K. Soil pollution and changes in vegetation due to heavy metals in sinter-pavements, 1021

Eder G., Sturm R. and Ernst W. Chlorinated hydrocarbons in sediments of the Elbe river and

the Elbe estuary, 2487 Edgerton S.A., Khalil M.A.K. and Rasmussen R.A. Diurnal variations in residential

woodburning pollution in Portland, Oregon, 155 Edgerton S.A., Coutant R.W. and Henley M.V. Hydrocarbon fuel spill dispersion on water: a literature review, 1475 Eduljee G. Volatility of TCDD and

PCB from soil, 907 Eduljee G.H. and Townsend D.I.

Evaluation of potential mechanisms governing dioxin congener profiles in soils near

combustion sources, 1095
Eduljee G.H., Badsha K.S. and Mundy
K.J. PCB Concentrations in soil from central and Southern Wales,

Eduljee G.H. and Townsend D.I. Simulation and evaluation of potential physical and mass transfer phenomena governing congener group profiles in soils near combustion sources, 1841 Egebäck K.-E see Marklund S. 29 Eichelberger H see Schecter A. 1713

Eisen H see Schecter A. 1713 Eklund G., Pedersen J.R. and Strömberg B. Formation of chlorinated organic compounds during combustion of propane in the presence of HCl, 161

El-Habr H. and Golterman H.L. Input of nutrients and suspended matter into the Golfe du Lion by the river Rhone, 417 **Eleftheriadis** I see Arvanitoyannis

I. 2523 Endedijk G.J see Dueck Th.A. 1021 Engelhardt G see Preiss U. 963 Engler M see Scholz B. 1829 Epling G.A.,McVicar W. and Kumar A.

Accelerated debromination of biphenyls by photolysis with soidum borohydride, 1013 Ernst W see Eder G. 2487 Ernst W.H.O. and Leloup S. Perrenial

herbs as monitor for moderate levels of metal fall-out, 233 Evans R.G see Stehr-Green P. 2089 Evans T see Cummings J.B. 2175 Evald M see Garrigues P. 485

Fanelli R see Davoli E. 1425 Farrell K see Safe S. 1723

Farrell K., Safe L. and Safe S. [3H]-2,3,7,8-Tetrachlorodibenzofuran (TCDF)-synthesis and characterization as a radio-ligand for the Ah receptor, 1733 Farrington J.W see McElroy A.E. 2429

Fattal B., Peleg-Olevsky E., Agursky T. and Shuval H.I. The association between seawater pollution as measured bvy bacterial indicators and morbidity among bathers at Mediterranean bathing beaches of Israel, 565
Ferrari I see Ceccherelli V.U. 571

Fielding A.H., Li P.Y.F. and Badsha K.S. Lead concentrations in the vegetation of the Irwell valley in NW England, 1105

Filby W.G see Kalus W.H. 2479 Finkelstein A see Hay D.J. 1923 Flatau G.N., Clément R.L., Mahdyoun F. and Gauthier M.J. Repartition du cadmium dans les enveloppes cellulaires d'unne bacterie marine, 2623

Focardi S. and Romei R. Fingerprint of polychlorinated biphenyl congeners in samples of human subcutaneous adipose tissue, 2315

Fooken C. and Butte W. Organo chlorine pesticides and poly-chlorinated biphenyls in human milk during lactation, 1301 Freed V.H see Madhun Y.A. 1003 Frei R.W see Baumann R.A. 1123

Freitag D. Environmental hazard profile of organic chemicals. An experimental method for the assessment of the behaviour of organic chemicals in the

environment, 589

Fries G.F. Assessment of potential residues in foods derived from

animals exposed to TCDD-contaminated soil, 2123

Fürst P., Meemken H.-A., Krüger Chr. and Groebel W. Polychlorinated dibenzodioxins and dibenzofurans in human milk samples from Western Germany, 1983 Fujita T see Romkes M. 1719

Fukamachi K see Takenaka S. 1419 Fukui S see Kaise T. 91 Fukushima S see Miyata H. 1817 Fytianos K see Voulgaropoulos A. 395
Fytianos K., Samanidou V. and
Agelidis T. Comparative study of
heavy metals pollution in

various rivers and lakes of Northern Greece, 455

Gaggi C see Bacci E. 2515 Gaiani V see Ceccherelli V.U. 571 Gambrell R.P see Catallo W.J. 1053 Garcia de la Paz A.M see Garcia-

Pareja M.P. 2627 Garcia-Pareja M.P., Monteoliva-Sanchez M., Garcia de la Paz A.M., Corominas E., Perez M.L. and Ramos-Cormenzana A. Characterization of bacteria with phenol-oxidase activity from soil in the La Laguna area (Spain), 2627 Garrigues P. and Ewald M. High

resolutionm emission spectros-copy (Shpol'skii effect): a new analytical technique for the analysis of polycyclic aromatic hydrocarbons (PaH) in the

environmental samples, 485 Gasiewicz T.A see Schecter A. 2147 Gauthier M.J see Flatau G.N. 2623 Gebefügi I see Oxynos K. 225 Gentempo J.J see Dorn P.B. 1501 Gerike P see de Morsier A. 833, see Reynolds L. 2259 Geyer H.J., Scheunert I. and Korte F.
Correlation between the bioconcentration potential of organic environmental chemicals in humans and their noctanol/water partition coefficients, 239 Geyer H.J.,Scheunert I. and Korte F.

Distribution and bioconcen-tration potential of the environmental chemical pentachlorophenol (PCP) in different tissues of humans, Gibson B see Stehr-Green P. 2089 Gierthy J.F see Viswanathan T.S. Giesy J.P., Jr see Oris J.T. 1395 Gillner M see Poellinger L. 1681 Glaumann H see Lund J. 1677 Golterman H.L see El-Habr H. 417 Gong H.-H see Kagan J. 2417 Gooijer C see Baumann R.A. 1123 Gounaridou X see Voulgaropoulos A.

395 Green V.E see Needham L.L. 2027 Greene S.E see Wiersma G.B. 2631 Griest W.H see Ma C.Y. 2613 Griller D see Astles D.J. 803 Groebel W see Fürst P. 1983 Gross M.L see Schecter A. 1997 Güloglu H see Parlar H. 19 Gustafsson J.-A see Lund J. 16 see Poellinger L. 1681

Hagenmaier H. and Brunner H. Isomerspecific analysis of pentachlorophenol and sodium penta-chlorophenate for 2,3,7,8substituted PCDD and PCDF at sub-ppb levels, 1759 Hagino T see Suzuki J. 859

Haglund P., Alsberg T., Berg Jansson B. Analysis of halogenated polycyclic aromatic hydrocarbons in urban air, snow and automobile exhaust, 2441

Hakansson H see Ahlborg U.G. 1701 Halman R see Chiu C. 1619 Hamada Y see Asada S. 1907 Hamann R. and Kettrup A. Deter-mination of phenoxy acid

herbicides in water samples, 527

Hamburger B see Brown D. 1539

Hanaoka K see Kaise T. 2551, 91

Hanaoka K., Matsumoto T., Tagawa S.
and Kaise T. Microbial degradation of arsenobetaine, the major water soluble organoarsenic compound occurring in

arsenic compound occurring in marine animals, 2545

Hansson M see Rappe C. 1603

Haraguchi K see Kuroki H. 2039, 1641

Haraguchi K., Kuroki H. and Masuda Y.

Determination of hydroxy methylsulfone metabolites of PCB in Yusho patients, 2033

Haraguchi K., Kuroki H. and Masuda Y.

Synthesis of PCB methylsulfone:

Synthesis of PCB methylsulfone: some differences in mass and proton magnetic resonance

spectroscopy, 2299
Harmon M.E see Wiersma G.B. 2631
Hasan S.K see Misra M. 259
Haslam S.M. Sources of watercourse pollution in Italy and Mediterranean France, assessed

by macrophytes, 331 Hassett J.P see Melcer M.E. 1115 Hattemer-Frey H.A see Travis C.C. 2331

Hattori R see Kuroki H. 1641 Hauschulz G see Thoma H. 297, 277, 1579

Hay D.J., Finkelstein A., Klicius R. and Bridle T. The national incinerator testing and evaluation program air pollution control technology, 1923 Heindl A. and Hutzinger O. Search

for industrical sources of

PCDD/PCDF III. Short-chain

chlorinated hydrocarbons, 194 Hellou J., Banoub J.H. and Hodder H.J. Synthesis and ¹³C NMR

analysis of some xenobiotic conjugates, 1381 Hemming J see Hoff R.M. 6 Hempel L. The "Mediterraneanization" of the climate in Mediterranean Countries - a cause of the unstable ecobudget, 313 Henley M.V see Edgerton S.A. 1475

Hermens J.L.M see Deneer J.W. 2365 Herrmann M see Kotzias D. 1463, see

Parlar H. 19
Herrmann M., Kotzias D. and Korte F.
Photoreactiuvity of humic acids in natural waters, 523 Heykants J.J.P see Van Leemput

L.J.J. 1281

Hiraoka M., Takizawa Y., Masuda Y., Takeshita R., Yagome K., Tanaka M., Watanabe Y. and Morikawa K. Investigation on generation of dioxins and related compounds from municipal incinerator in

Japan, 1901 Hirayama T see Kaise T. 91 Hirohata T see Kuratsune M. 2085, see Nagayama J. 2073 Hjorth J see Stangl H. 1405 Ho K.C see Chou S.S. 1835 Hocenski V see Picer M. 2279

Hochgeschwender K see Anderson C. Hodder H.J see Hellou J. 1381

Hoff R.M., Chan K.-W., Hemming J., Reumanen M., Holmbom B. and Kronberg L. Erratum, 6 Hoffman R see Stehr-Green P. 2089 Hoigné J see Scully F.E., Jr. 681 Holcomb M see Jones D. 1743 Holler J.S see Patterson D.G., Jr.

Holm H.W see Kollig H.P. 49 Holm L.-E see Wiklund K. 2107 Holmbom B see Hoff R.M. 6 Horvat M see Dermelj M. 877 Hustert K see Kotzias D. 505 Hustert K., Kotzias D. and Korte F.

Photokatalytischer abbau von chlornitrobenzolen an TiO2 in wässriger phase, 809 Hutzinger O see Choudhry G.G. 495,

see Heindl A. 1949, see Parsons J.R. 1361, see Reischl A. 2647, see Schramm K.-W. 2653, see Thoma H. 297, 1579, 1353, 277 Hutzinger O. and Thoma H. Poly-

brominated dibenzo-p-dioxins and dibenzofurans: the flame retardant issue, 1877

Ikeda M see Kuratsune M. 2085, see Nagayama J. 2073 Ikkink H.G.K see Dueck Th.A. 1021 Isaacs S see Needham L.L. 2027
Ito A see Suzuki J. 1289
Ito H see Morita M. 1959
Ito K see Kaise T. 91
Ito T see Yokouchi Y. 1143
Ivie W see Jones D. 1743

Jain S.K. and Susheela A.K. Effect of sodium fluoride - on erythro-cyte membrane function - with reference to metal ion transport in rabbits, 1087 Janicki K., Dobrowolski and Kraśnicki

K. Correlation between contamination of the rurtal environment with mercury and occurrence of leukaemia in men

and cattle, 253

Jansson B see Haglund P. 2441, see
Sellström U. 945 Jansson B., Asplund L. and Olsson M.

Brominated flame retardants ubiquitous environmetal pollutants?, 2343 Jaroszyńska-Wolińska J see Pollo I.

Jebens A see Benestad C. 813

Jeftic L see Civili F.S. 633
Jones D., Safe S., Morcom E., Holcomb
M., Coppock C. and Ivie W. Bio-

availability of tritiated 2,3,7,8-tetrachlorodibenzo-p dioxin (TCDD) administered to

Holstein dairy cows, 1743

Jones K.H., Walsh J., Alston D. and
Weston R.F. The statistical properties of available worldwide MSW combustion dioxin/furan emissions data as they apply to the conduct of risk assessments, 2183

Junk G.A. and Richard J.J. Solid phase extraction, GC separation and EC detection of tributyltin

chloride, 61 Juvonen B see Paasivirta J. 1787

Kagan E.D see Kagan J. 2291 Kagan J see Bennett W.E. 5 Kagan J., Stokes A., Gong H.-H. and Tuveson R.W. Light-dependent cytotoxicity of fluoranthene: oxygen-dependent membrane damage, 2417 Kagan J. Phenylheptatruyne:

occurrence, synthesis, biological properties, and environmental concerns, 2405

Kagan J., Sinnott D. and Kagan E.D. The toxicity of pyrene in the fish Pimephales promelas: synergism by piperonyl butoxide and by ultraviolet light, 2291

Kaise T see Hanaoka K. 2545 Kaise T., Hanaoka K. and Tagawa S. The formation of trimethylarsine oxide from arsenobetaine by bio-gradation with marine microorganisms, 2551

Kaise T., Watanabe S., Ito K., Hanaoka K., Tagawa S., Hirayama T. and Fukui S. The study of organo-arsenic compounds in fish and alga by exact mass measurement using fast atom bombardment mass

spectrometry, 91
Kalantar A.H. Criteria for choosing a least squares procedure to extract parameters from

exponential decays, 79 Kalliokoski P see Vartiainen T. 1489 Kalus W.H., Münzner R. and Filby W.G. The aqueous sulfite-nitrite system: investigations on the

mutagenicity of some known products, 2479

Kamal M., Lay J.P. and Scheunert I.

Metabolism of trichlorobiphenyl in different test species, 599

Kamimura H see Oguri K. 1707
Kannan N see Tanabe S. 1965
Kannan N., Tanabe S., Wakimoto T. and
Tatsukawa R. A simple method for
determining non-ortho substituted PCBs in Kanechlors,
Accolors and environmental

tuted PCBs in Kanechlors,
Aroclors and environmental
samples, 1631

Kanno S see Maeda N. 2249

Kashima Y see Ono M. 1823

Kashimoto T see Miyata H. 1817, see
Ogaki J. 2047, see Watanabe I.
2389, 849

Kavlentis E see Arvanitoyannis I.

Kawano M see Watanabe I. 849 Kearney P.C., Muldoon M.T. and Somich C.J. UV-Ozonation of eleven major pesticides as a waste disposal pretreatment, 2321 Kellert M see Beck H. 1977

Kelley M see Bannister R. 1687 Keränen P see Vartiainen T. 1489 Kettrup A see Hamann R. 527

Keys B see Safe S. 1723
Khalil M.A.K. see Edgerton S.A. 155
Khalil M.A.K. and Rasmussen R.A. The residence time of trichlorofluoromethane in polyurethane foams: variability, trends and effects of ambient temperature,

Khan S.U. and Bélanger A. Formation of bound 1 C-fonofos residues in an organic soil and a vegetable crop under field conditions, 167 Kikuchi M see Ryan J.J. 2017

Kikugawa K see Kogi K. 2371 Kilpatrick R.,Knowelden J. and Martin D. Mortality from soft

tissue sarcomas in agricultural workers (1972-1981), 2101 Kiyohara C see Nagayama J. 2073 Kjeller L.-O see Rappe C. 1603, 1775 Klein P see Paasivirta J. 1231 Kleopfer R see Viswanathan T.S. 869 Klicius R see Hay D.J. 1923 Knorr E see Thoma H. 277 Knowelden J see Kilpatrick R. 2101 Knutsen A see Stehr-Green P. 2089 Knuutila M see Paasivirta J. 1231 Knuutinen J see Paasivirta J. 1231 Kodrić-Smit M see Smit Z. 2351

Koga N see Oguri K. 1707, see Yoshimura H. 1695 Kogi K., Beppu M. and Kikugawa K. Nitrogen dioxide-induced damage of erythrocyte membrane, 2371 Kollig H.P.,Parrish R.S. and Holm

H.W. An estimate of the variability in biotransformation kinetics of xenobiotics in natural waters by Aufwuchs communities, 49

Kopfler F.C see Basu D.K. 2595 Kopfler F.C see Basu D.K. 2595
Korb B.R see Cummings J.B. 2175
Korte F see Bahadir M. 1311, see
Geyer H.J. 239, 887, see
Herrmann M. 523, see Hustert K.
809, see Kotzias D. 1463, see
Lay J.P. 1527, see Lorenz W.
521, see Scheunert I. 1031, 1521
Kotzias D see Herrmann M. 523, see
Hustert K. 809, see Parlar H.
19, see Stangl H. 1405
Kotzias D., Hustert K. and Wieser A.
Formation of oxygen species and
their reactions with organic
chemicals in aqueous solution,

chemicals in aqueous solution,

Kotzias D. and Parlar H. Opening address - 3rd International Con-gress on Environmental Pollution

and its impact on life in the Mediterranean Region, 311 Kotzias D., Herrmann M., Zsolnay A., Beyerle-Pfnür R., Parlar H. and Korte F. Photochemical aging of humic substances, 1463 Krainick Substances, 1405 Krainicki K see Janicki K. 253 Kravitz R.A see Cummings J.B. 2175 Kronberg L see Hoff R.M. 6 Krüger Chr see Fürst P. 1983 Kuchl D. W. Cock P. M. Pattanan

Kuehl D.W., Cook P.M., Batterman A.R., Lothenbach D. and Butterworth B.C. Bioavailability of polychlorinated dibenzo-p-dioxins and dibenzofurans from contaminated Wisconsin river

sediment to carp, 667 Kuehl D.W.,Cook P.M.,Battern

A.R., Lothenbach D. and
Butterworth B.C. Erratum, 1372
Kuehl D.W., Cook P.M., Batterman A.R.
and Butterworth B.C. Isomer dependent bioavailability of polychlorinated dibenzo-p-dioxins and dibenzofurans from municipal incinerator fly ash to carp, 657

Kumar A see Epling G.A. 1013 Kuratsune M., Nakamura Y., Ikeda M. and Hirohata T. Analysis of deaths seen among patients with Yusho - a reliminary report -, 2085

Kuroki H see Haraguchi K. 2033, 2299 Kuroki H., Haraguchi K. and Masuda Y. Polychlorinated dibenzofuran (PCDF) congeners in the tissues of patients with Yusho and

normal Japanese, 2039 Kuroki H., Hattori R., Haraguchi K. and Masuda Y. Synthesis and mass spectral properties of polychlorinated dibenzofuran (PCDF)

metabolites, 1641 Kuroki J see Yoshimura H. 1695 Kuykendal W.B see Southerland J.H.

Lamason W.H., II see Southerland J.H.

Lamparski L.L see Nestrick T.J. 777, see Townsend D.I. 1753 Lang R see Lay J.P. 1527 Lanoy M see Chiu C. 1619 Lao R.C see Chiu C. 1625, 1619 Lapeza C.R see Patterson D.G., Jr. 935

Laquer F.C. and Manahan S.E. Solution factors affecting the absorption of phenol onto a siltstone, 1431 Lattner A see Christmann W. 1649,

see Rotard W. 1847 Lavanchy M. Valorization of chlorinated residues via high temperature incineration and recovery of H C L and energy, 1929

Lavie B. and Nevo E. The interactive effects of cadmium and mercury pollution on allozyme poly-morphisms in the marine gastropod Cerithium scabridum,

Lay J.P see Kamal M. 599 Lay J.P., Müller A., Peichl L., Lang R. and Korte F. Effects of δ-BHC (Lindane) on zooplankton under

outdoor conditions, 1527
Lay J.P. Influence of chemicals upon plankton in freshwater systems, 581

Leloup S see Ernst W.H.O. 233 Lemaire J see Alif A. 2213 Leonzio C. and Pisani A. An evaluative model for lead dis-tribution in roadside ecosystems, 1387

Lester T.W see Cundy V.A. 989 Levi H.W. Environmental sciences - a challenge for the German National Research Centers, 605 Lewis D see Ryan J.J. 1989

Li K see Chiu C. 1619, 1625 Li P.Y.F see Fielding A.H. 1105 Limatainen A see Vartiainen T. 1489 Lindahl R see Nilsson C.-A. 99 Lindström G see Rappe C. 1603 Linnermark N see Falkengren-Grerup U. 2239

Lizotte R see Ryan J.J. 1989 Lötter L.H see van Dyk L.P. 705 Lodenius M., Seppänen A. and Autio S.

Leaching of mercury from peat soil, 1215 Lord D.A see De Kock A.C. 133 Lorenz W see Bahadir M. 1311 Lorenz W., Bahadir M. and Korte F. Thermolysis of pesticide residues during tobacco smoking,

Lores E.M., Moore J.C. and Moody P.
Improved silica gel cleanup method for organophosphorus pesticides, 1065 Lothenbach D see Kuehl D.W. 667,

Lund J see Andersson O. 1667, see Poellinger L. 1681

Lund J., Nordlund L., Devereux T., Glaumann H. and Gustafsson J.-A. Physicochemical and immunochemical characterization of a binding-protein for PCB methyl sulfones, 1677 Luther M. and Soeder C.J. Some

naphthalenesulfonic acids as sulfur sources for the green microalga, Scenedesmus obliquus, 1565

Lytle J.S see Lytle T.F. 171 Lytle T.F. and Lytle J.S. Lignin residues as tracers of organic waste transport, 171

Maas J.L see Bennett W.E. 5 MacBride J.A.H see Barnhart E.R.

Mackay D. and Powers B. Sorption of hydrophobic chemicals from water: a hypothesis for the mechanism of the particle concentration effect, 745 Madge J.A see Safe S. 1723

Madhun Y.A. and Freed V.H. Degradation of the herbicides bromacil, diuron and chlor toluron in soil, 1003

Maeda N., Ohya T., Nojima K. and Kanno S. Formation of cyanide ion or cyanogen chloride through the cleavage of aromatic rings by nitrous acid or chlorine. IX. On the reactions of chlorinated, intrated, carboxylated or methylated benzene derivatives with hypochlorous acid in the presence of ammonium, 2249

Maggard L.A., Brown K.W. and Donnelly K.C. The efficiency of two standardized procedures for extracting mutagenic chemicals from soils, 1243 Mahdyoun F see Flatau G.N. 2623

Manahan S.E see Laquer F.C. 1431 Mann W see Christmann W. 1649, see Rotard W. 1847

Manninen P see Häsänen E. 969 Mano S see Oehme M. 143 Mansour M see Méallier P. 513 Mantoura R.F.C see Vowles P.D. 109 Marklund S see Rappe C. 1603, see Tysklind M. 1937

Marklund S., Rappe C., Tysklind M. and Egebäck K.-E. Identification of polychlorinated dibenzofurans and dioxins in exhausts from cars run on leaded gasoline, 29
Martin D see Kilpatrick R. 2101

Martin M.H see Allus M.A. 929 Martinez J see Paredes M.J. 1557 Maserti B.E see Bargagli R. 3 Mason C.F. A survey of mercury, lead and cadmium in muscle of British freshwater fish, 901 Mason G see Romkes M. 1719, see Safe

S. 1723

Mason G., Denomme M.A., Safe L. and Safe S. Polybrominated and chlorinated dibenzo-p-dioxins: synthesis biologic and toxic effects and structure-activity

relationships, 1729

Massé R. and Pelletier B. Photochemistry of dibenzo-P-dioxin in organic solvents at 253.7 NM: GC/MS characterization of the

phototransformation products, 7

Masuda Y see Haraguchi K. 2033,
2299, see Hiraoka M. 1901, see Kuroki H. 2039, 1641, see Ryan J.J. 2017

Mathar W see Beck H. 1977 Matis K.A see Zouboulis A.I. 623 Matsumoto T see Hanaoka K. 2545 Matsushita H see Asada S. 1907 McBride A.C. The Usepa National dioxin study - tiers 3,5,6, and 7, 2169

McElroy A.E., Tripp B.W., Farrington J.W. and Teal J.M. Biogeochemistry of benz(a)-anthracene at the sediment-water interface, 2429 McKinnon H.S see Waddell D.S. 1655

McLaren E.A see Bond G.G. 2117 McVicar W see Epling G.A. 1013 Méallier P., Pouyet B. and Périchet G. Interaction entre adjuvants dfe formulation et matiere active sous rayonnement lumineux, 269 Méallier P., Percherancier J.P. and

Mansour M. Photochemistry of bis phenyl carbamates in aqueous

pnenyl caroamates in aqueous solutions, 513

Meallier P see Taillandier G. 1347

Meemken H.-A see Fürst P. 1983

Melcer M.E.,Zalewski M.S.,Brisk M.A. and Hassett J.P. Evidence for a charge-transfer interaction between dissolved humic materials and organic molecules: I. Study of the binding inter-action between humic materials

and chloranil, 1115

Merz W. and Neu H.-J. The
application of headspace gas chromatography to the monitoring of organic substances in industrial effluent, 469

Metzger M. and Braun H. In-situ mercury speciation in flue gas by liquid and solid sorption

systems, 821 Meuldermans W.E.G see Van Leemput

L.J.J. 1281

Mikalsen A see Oehme M. 143

Miles A see Southerland J.H. 2161 Minero C see Barbeni M. 2225 Ming Y.-f. and Wamhoff H. Photochemistry of pesticides and herbicides, 11. Photolysis of 2,3-dihydro-5,6-dimethyl-1,4-dithiin-1,1,4,4-tetroxide

(Harvade), 1319 Misra M., Athar M., Chandra S., Hasan S.K. and Srivastava R.C. rnarmacokinetics and metabolic disposition of nickel in poisoned rats - effect of chelating drugs, 259

Mitchell W.R. Microbial degradation of guanidinium ion, 1071

Mitchum R.K see Munslow W.D. 1661 Pharmacokinetics and metabolic

Mitchum R.K see Munslow W.D. 1661,

see Sovocool G.W. 221
Mitchum R.K. Environmental levels and fate of dioxins and furans, 2193

Miyata H see Ogaki J. 2047 Miyata H., Takayama K., Ogaki J., Kashimoto T. and Fukushima S. Monitoring of PCDDs in Osaka Bay using blue mussel, 1817 Modig S see Aslander O. 1911

Monteoliva-Sanchez M see Garcia-Pareja M.P. 2627 Moody P see Lores E.M. 1065 Moore J.C see Lores E.M. 1065 Morcom E see Jones D. 1743 Morelo M see Barbeni M. 1165
Moreno E see Paredes M.J. 1557
Mori A see Takenaka S. 1419
Morikawa K see Hiraoka M. 1901 Morita M see Asada S. 1907, see Yasuhara A. 2559

Morita M., Yasuhara A., Seki H. and Ohi G. Chlorodibenzo-p-dioxins in the feral pigeon, 1749 Morita M., Yasuhara A. and Ito H. Isomer specific determination of

polychlorinated dibenzo-p-dioxins and dibenzofurans in incinerator related samaples in

Japan, 1959 Morse J.S see Cundy V.A. 989

Mowrer J. and Nordin J. Characterization of halogenated organic acids in flue gases from municipal waste incinerators, 1181

Mücke W see Preiss U. 963

Mücke W. Risikoabschätzung für Dioxine in der Umwelt, 43

Müller A see Lay J.P. 1527

Münzner R see Kalus W.H. 2479

Muldoon M.T see Kearney P.C. 2321

Mullen J.E.C see van Dyk L.P. 705 Mundy K.J see Eduljee G.H. 1583 Munslow W.D see Sovocool G.W. 221 Munslow W.D., Sovocool G.W., Donnelly J.R. and Mitchum R.K. Electrophilic bromination of dibenzo-pdioxin, 1661 Muto H see Takizawa Y. 1971

Nagayama J. Some of the recent findings and comments on pharmacokinetics, biochemicals effects and animal toxicology of dioxins and dibenzofurans, 2191

Nakagawa R see Takenaka S. 1419 Nakamura Y see Kuratsune M. 2085, see Nagayama J. 2073

Nakano T see Tsuji M. 1889 Nakano T., Tsuji M. and Okuno T. Level of chlorinated organic compounds in atmosphere, 1781
Nauman C.H. and Schaum J.L. Human

exposure estimation for 2,3,7,8-TCDD, 1851 Neal M.W see Basu D.K. 2595

edham L.L see Patterson D.G., Jr. 935

m L.L., Patterson S.,Green V.E., Andrews J., Sampson E.J. and Bagby J.R. Poly-chlorinated dibenzo-p-dioxins and dibenzofurans levels in persons with high and normal levels of 2,3,7,8-tetrachloro-dibenzo-o-dioxin, 2027

Nestrick T.J see Townsend D.I. 1753 Nestrick T.J., Lamparski L.L. and Crummett W.B. Thermolytic surface-reaction of benzene and iron (III) chloride to form chlorinated dibenzo-p-dioxins and dibenzofurans, 777 New H.-J see Merz W. 469

Nevo E see Lavie B. 543 Nicholas W.D. and Abernathy A.R. A method to assess periodic responses of aquatic microeco-systems to photosynethic inhibition, 287 Nickless G see Allus M.A. 929 Nicollin B see Stangl H. 1405

Nielsen P.R see Bendixen E.L. 1943 Nigg H.N see Stamper J.H. 1257 Nilsson C.-A., Lindahl R. and Norström A. A new strategy for

monitoring exposure to chain-saw exhaust, 99 exhaust, 99 Nilsson C.-A., Nygren O. and Sikström

E. Determination of mancozeb in air. Occupational exposure during its use in control of norting its use in control of potato late blight, 2423
Nojima K see Maeda N. 2249
Nordin J see Mowrer J. 1181
Nordlund L see Lund J. 1677
Norström A see Nilsson C.-A. 99
Nygren M see Rappe C. 1603

Nygren O see Nilsson C.-A. 2423

Oberg T. and Bergström J.G.T. Emission and chlorination pattern of PCDD/PCDF predicted from indicator parameters, 1221 Oberacker D.A see Southerland J.H. Ochme M., Mano S. and Mikalsen A. Formation and presence of polyhalogenated and polycyclic compounds in the emissions of small and large scale municipal

waste incinerators, 143
Ogaki J see Miyata H. 1817
Ogaki J., Takayama K., Miyata H. and
Kashimoto T. Levels of PCDDs and PCDFs in human tissues and various foodstuffs in Japan,

Oguri K., Kamimura H., Koga N. and Yoshimura H. Mechanisms for stimulated fecal excretion of 2,3,4,7,8-pentachlorodibenzo-furan in rats by treatment with squalane and liquid paraffin, 1707

Ohi G see Morita M. 1749 Ohya T see Maeda N. 2249 Okumo T see Nakano T. 1781, see

Tsuji M. 1889

Olafsson P.G., Bryan A.M. and Stone
W. PCB Congener-specific
analysis: a critical evaluation
of toxic levels in biota, 2585 Olson R.A see Cook R.R. 2111

Olsson M see Jansson B. 2343 Ono M see Tanabe S. 1965 Ono M., Kashima Y., Wakimoto T. and Tatsukawa R. Daily intake of PCDDs and PCDFs by Japanese

through food, 1823 Opperhuizen A see Parsons J.R. 1361 Opperhuizen A see Parsons J.R. 1301 Opperhuizen A. and Voors P.I. Bio-concentration kinetics of 2,4,5-tri- and 3,3',4,4'-tetrachloro-biphenyl and 2,4,5- tri- and 3,3',4,4' tetrachlorodiphenyl-ether in fish. 2379

ether in fish, 2379

Opperhuizen A. and Voors P.I. Uptake and elimination of polychlorinated aromatic ethers by

fish: chloroanisoles, 953
Oris J.T. and Giesy J.P., Jr. The photo-induced toxicity of poly cyclic aromatic hydrocarbons to larvae of the fathead minnow

(Pimephales promelas), 1395 Osborne J see Clement R.E. 1895 Osman M.M see Dorgham M.M. 559 Osman M.M. and Dorgham M.M. Environ-mental conditions in Abu Kir Bay, east of Alexandria I. Physico-chemical characteristics and water circulation, 361

Ott M.G see Cook R.R. 2111 Ottobrini G see Stangl H. 1405 Ouzounis K. and Sotiriou N. Ecological parameter of surface water in Northeastern Greece.

Oxynos K., Gebefügi I. and Bahadir M. Tierische Organismen als Bioindikatoren für chlorkohlenwasserstoffe, 225 Ozvacic V see Clement R.E. 1895

Paasivirta J. . Tarhanen J. . Juvonen B. and Vuorinen P. Dioxins and

related aromatic chloroethers in Baltic wildlife, 1787 Palauschek N. and Scholz B. Destruction of polychlorinated dibenzo-P-dioxins and dibenzofurans in contaminated water

samples using ozone, 1857 Panetsos F see Ratti S.P. 1765 Papachristou E., Tsitouridou R. and Kabasakalis B. Boron levels in some ground waters of Halkidiki (a land at Northern Aegean sea), 419

Paredes M.J., Moreno E., Ramos Cormenzana A. and Martinez J. Characteristics of soil after pollution with waste waters from olive oil extraction plants,

Parlar H see Barlas H. 519, see Kotzias D. 311, 1463

Parlar H., Güloglu H., Herrmann M. and Kotzias D. Die Rolle der Peroxyradikale bei der Photoinduzierten Umwandlung der Diphenylhydrazonherbiziden in Wässrigen Systemen,

Parrish R.S see Kollig H.P. 49 Parsons J.R., Opperhuizen A. and Hutzinger O. Influence of membrane permeation on biodegradation kinetics of hydro-

phobic compounds, 1361

Patterson D.G., Jr see Barnhart E.R. 2057, see Needham L.L. 2027

Patterson D.G., Jr., Holler
J.S., Belser W.T., Boozer
E.L., Lapeza C.R. and Needham
L.L. Determination of 2,3,7,8tetrachlorodibenzo-p-dioxin (TCDD) in human adipose tissue on whole-weight and lipid bases,

Paukku R see Paasivirta J. 1231 Pauly J see Deneer J.W. 2365 Périchet G see Méallier P. 269 Pearce R see Astles D.J. 803 Pedersen J.R see Eklund G. 161 Peichl L see Lay J.P. 1527 Peleg-Olevsky E see Fattal B. 565 Pelizzetti E see Barbeni M. 1165,

Pelletier B see Massé R. 7 Percherancier J.P see Méallier P. 513

Pereira W.E see Rostad C.E. 2397 Perez M.L see Garcia-Pareja M.P. 2627

Pfister G see Bahadir M. 1273 Picer M., Hocenski V. and Picer N.
Investigation of the production of lipophilic volatile organohalogen materials during laboratory chlorination of some ground water samples from Yugoslavia, 2279 Picer N see Picer M. 2279

Pisani A see Leonzio C. 1387 Piskorska-Pliszczynska J see Romkes

M. 1719, 1691, see Safe S. 1723

Poellinger L. Intracellular, high-laffinity binding proteins for chlorinated dioxins and related compounds - a concluding remark,

Poellinger L., Wilhelmsson A., Cuthill S., Lund J., Söderkvist P., Gillner M. and Gustafsson J.-A. Structure and function of the dioxin receptor: a DNA-binding protein similar to steroid

hormone receptors, 1681

Pollo I. and Jaroszyńska-Wolińska J.
A comparative study of kinetics of nitrogen oxide oxidation by

ozone and oxygen, 537
Poole G see Chiu C. 1619 Pouyet B see Méallier P. 269 Powers B see Mackay D. 745 Pramauro E see Barbeni M. 1165

Preiss U., Engelhardt G., Wallnöfer P.R. and Mücke W. Degradation of veratrylglycerol-β-(pentachlorophenyl)ether, a model compound

for lignin bound pentachloro-phenol residues, 963

Pritchard P.H., Cripe C.R., Walker W.W., Spain J.C. and Bourquin A.W. Biotic and abiotic degradation rates of methyl parathion in freshwater and estuarine water and sediment samples, 1509

Ramos-Cormenzana A see Paredes M.J. Rappe C see Marklund S. 29, see

Tysklind M. 1937

Rappe C., Andersson R., Bergqvist P.-A., Brohede C., Hansson M., Kjeller L.-O., Lindström G., Marklund S., Nygren M., Swanson S.E., Tysklind M. and Wiberg K. Overview on environmental fate of chlorinated dioxins and dibenzofurans. Sources, levels and isomeric pattern in various matrices, 1603

Rappe C. and Kjeller L.-O. PCDDs and

PCDFs in environmental samples air, particulates, sediments and soil, 1775

Rasmussen R.A see Edgerton S.A. 155, see Khalil M.A.K. 759

Rathbun R.E. and Tai D.Y. Vapor pressures and gas-film coefficients for ketones, 69

Ratti S.P., Belli G., Bertazzi
P.A., Bressi G., Cerlesi S. and
Panetsos F. TCDD Distribution on all the territory around Seveso; its use in epidemiology and a hint into dynamical models, 1765 Ravanel P see Taillandier G. 1347

Ravikumar G see Bakthavathsalam R. 1339

Regner D. The impact of pollution ofn the copepod community from the eastern Adriatic coast, 36 Reichert A see Christmann W. 1649,

see Rotard W. 1847 Reischl A see Schramm K.-W. 2653

Reischl A., Reissinger M. and Hutzinger O. Occurrence and distribution of atmospheric organic micropollutants in

conifer needles, 2647 Reiss S see Christmann W. 1649, see Rotard W. 1847

Reissinger M see Reischl A. 2647 Reunanen M see Hoff R.M. 6 Reynolds L see de Morsier A. 833

Reynolds L., Blok J., de Morsier A., Gerike P., Wellens H. and Bontinck W.J. Evaluation of the toxicity of substances to be assessed for biodegradability, 2259

Richard J.J see Junk G.A. Ripe E see Andersson 0. 1667 Romei R see Focardi S. 2315

Romkes M., Safe S., Mason G., Piskorska-Pliszczynska J. and Fujita T. Binding of substituted aryl hydrocarbons to the Ah receptor - a QSAR analysis, 1719

Romkes M., Piskorska-Pliszczynska J. and Safe S. Role of the Ah receptor in mediating the down regulation of uterine and hepatic estrogen receptor levels in rats, 1691

in rats, 1691

Rostad C.E. and Pereira W.E.

Creosote compounds in snails
obtained from Pensacola Bay,
Florida, near an onshore
hazardous-waste site, 2397

Rotard W see Christmann W. 1649

Rotard W., Christmann W., Lattner
A., Mann W., Reichert A., Reiss S.
and Schinz V. Occurance of PCDD
and PCDF in motor oils. reand PCDF in motor oils, re refined oils and contaminated soils, 1847

Rühl Ch.-S see Beck H. 1977 Rubin I.B see Ma C.Y. 2613 Ryan J.J see Schecter A. 2003 Ryan J.J., Schecter A., Masuda Y. and Kikuchi M. Comparison of PCDDs and PCDFs in the tissues of Yusho patients with those from the general population of Japan and China, 2017

Ryan J.J., Lizotte R. and Lewis D.
Human tissue levels of PCDDs and
PCDFs from a fatal pentachlorophenol poisoning, 1989
Ryan J.J. Rapporteur Section E:

Human tissue levels, 2195

Safe L see Mason G. 1729, see Waddell D.S. 1655

Safe S see Bannister R. 1687, 1739, see Farrell K. 1733, see Jones D. 1743, see Mason G. 1729, see Romkes M. 1719, 1691, see Waddell D.S. 1655 Safe S. Determination of 2,3,7,8-

TCDD toxic equivalent factors (TEFs): support for the use of the in vitro AHH induction

assay, 791 Safe S., Mason G., Farrell K., Keys B.,Piskorska-Pliszczynska
J.,Madge J.A. and Chittim B.
Validation of in vitro bioassays
for 2,3,7,8-TCDD equivalents,

Salinoglu I see Yemenicioglu S. 429 Salinoglu I., Saydam C. and Yilmaz A. Long term impact of dissolved dispersed petroleum hydrocarbons (DDPH) in gulf of Iskenderun, 381

Salihoglu I., Saydam C. and Yemenicioglu S. Two toxicants, mercury and tin in the Gulf of Iskenderun, 445 Samanidou V see Fytianos K. 455

ara C. and Kouimtzis Th.A. Pre-concentration of heavy metals in natural waters with hydrazones supported on silica-gel, 405 mpson E.J see Needham L.L. 2027

Sanchez-Camazano M see Sanchez-Martin M.J. 937

chez-Martin M.J. and Sanchez-Camazano M. Absorption of chloridazone by montmorillonite,

Santodonato J see Basu D.K. 2595 Sato T see Suzuki J. 1289 Saxena J see Basu D.K. 2595 Saydam C see Salihoglu I. 381, 445,

see Yemenicioglu S. 429 Schaum J.L see Nauman C.H. 1851 Schecter A see Constable J.D. 2063,

see Ryan J.J. 2017 Schecter A., Constable J.D., Arghestani S., Tong H. and Gross M.L. Elevated levels of 2,3,7,8-tetrachlorodibenzodioxin in adipose tissue of certain U.S. veterans of the Vietnam war, 1997

ecter A. and Gasiewicz T.A. Health hazard assessment of chlorinated dioxins and dibenzofurans contained in human milk,

Schecter A., Ryan J.J. and Constable J.D. Polychlorinated dibenzo-p-dioxin and polychlorinated dibenzofuran levels in human breast milk from Vietnam compared with cow's milk and human breast milk from the North

human breast milk from the North American Continent, 2003 Schecter A. Risk assessment and standard setting Rapporteur's summary and discussion, 2205 Schecter A. The Binghampton state office building PCB transformer incident: 1981-1987, 2155 Schecter A. Transient liver patholgy

in patients consuming water from private well contaminated by PCBs from a submersible water

pump, 37 Schecter A., Eichelberger H. and Eisen H. Transmission and scanning electron microscopic characterization of mouse HEPA 1 hepatoma cells after 2,3,7,8tetrachloro-para-dibenzodioxin treatment, 1713

Scheunert I see Geyer H.J. 239, 887,

see Kamal M. 599

Scheunert I., Vockel D., Schmitzer J. and **Korte F.** Biomineralization rate of ^{1*}C-labelled organic chemicals in aerobic and anaerobic suspended soil, 1031

Scheunert I., Vockel D., Bahig M.E. and Korte F. Influence of atrazine on the mineralisation of n-dodecylbenzene-sulfonate-''C in soil, 1521 Schinz V see Christmann W. 1649, see

Rotard W. 1847 Schmitzer J see Scheunert I. 1031 Scholz B see Palauschek N. 1857 Scholz B. and Engler M.

Determination of polychlorinated dibenzo-p-dioxins and dibenzo-furans in wastes of technical hexachlorocyclohexane, 1829

Schramm K.-W., Reischl A. and Hutzinger O. UNITTree. A multimedia compartment model to estimate the fate of lipophilic compounds in plants, 2653 Schramm W see Stehr-Green P. 2089

Schreiber, R.J., Jr. Missouri dioxin update - 1986, 1869 Schroeder W.H. and Jackson R.A.

Environmental measurements with an atmospheric mercury monitor having speciation capabilities, 183

Schwack W. N-(Dichloromethylthio)phthalimide, a photometabolite
of folpet, 127
Schwartz H., Chu I., Villeneuve D.C.
and Benoit F.M. Synthesis,
characterization and chromatocharacterization and chromatographic separation of tetra chlorobenzene-related compounds, 2467

wartz H.M see Astles D.J. 803 Scully F.E., Jr. and Hoigné J. Rate constants for reactions of singlet oxygen when phenols

other compounds in water, 681 Seffar A., Dauphin G. and Boule P. Oxidative photocyclisation of 2-biphenylol in dilute aqueous

solution, 1205 Seinen W see Deneer J.W. 2365 Seki H see Morita M. 1749

Seligman P.F see Valkirs A.O. 201 Seliström U., Jansson B., Bergman A. and Alsberg T. Selective and sensitive analysis of nitro-PAH,

Senser D.W see Cundy V.A. 989 Seppänen A see Lodenius M. 1215 Serpone N see Barbeni M. 1165, 2225

Shane L.A see Bush B. 733
Shekiro J.M., Jr., Skogerboe R.K. and
Taylor H.E. Crude oil identification with electrothermal vaporization - multiple wavelength absorption spectrometry, 983

Shigeoka T see Yoshida K. 2531 Shuval H.I see Fattal B. 565 Sielken R.L., Jr. Statistical evaluation reflecting the skewness in the distribution of TCDD levels in human adipose tissue, 2135 Sikström E see Nilsson C.-A. 2423

Sinke M see van den Berg M. 1193 Sinnige T.L see Deneer J.W. 2365 Sinnott D see Kagan J. 2291 Skogerboe R.K see Shekiro J.M., Jr. 983

Skowronski B.J see Sobel W. 2095 Smit Z., Drevenkar V. and Kodrić-Smit M. Polychlorinated diphenyls in the Kupa river, Croatia, Yugoslavia, 2351 Smith A. and Colquhoun K.O.

Biodegradability of hexa-methylenetetramine, 1555 Söderkvist P see Poellinger L. 1681 Sobel W., Bond G.G., Skowronski

B.J., Brownson P.J. and Cook R.R. A soft tissue sarcoma case control study in a large multichemical manufacturing facility,

Soeder C.J see Luther M. 1565 Soldevilla M see Cabrera F. 463 Somich C.J see Kearney P.C. 2321 Sotiriou N see Ouzounis K. 351

Southerland J.H., Kuykendal W.B., Lamason W.H., II., Miles A. and Oberacker D.A. "Assessment of combustion sources as emitters of chlorinated dioxin compounds: a report on the

results of tier 4 of the national dioxin strategy, 2161

Sovocool G.W see Munslow W.D. 1661

Sovocool G.W., Munslow W.D., Donnelly J.R. and Mitchum R.K. Electrophilic bromination of dibenzofuran, 221 Spain J.C see Pritchard P.H. 1509

Srivastava R.C see Misra M. 259 Staake J see Stehr-Green P. 2089 Stamper J.H., Nigg H.N. and Queen

R.M. Dislodgeable captan residues at Florida strawberry

farms, 1257 Stangl H., Kotzias D., Van Eijk J., Nicollin B., Hjorth J. and Ottobrini G. On the use of teflon bags for photochemical experiments, 1405

Stanker L., Watkins B., Vanderlaan M. and Budde W.L. Development of an immunoassay for chlorinated dioxins based on a monoclonal antibody and an enzyme linked

immunosorbent assay(ELISA), 1635 **Steber J.** and **Wierich P.** Properties of aminotris(methylenephosphonate) affecting its environmental fate: degradability, sludge

absorption, mobility in soils and bioconcentration, 1323 Stegnar P see Dermelj M. 877 Stehr-Green P.,Hoffman R.,Webb K.,Evans R.G.,Knutsen A.,Schramm W.,Staake J.,Gibson B. and Steinberg K. Health effects of long-term exposure to 2,3,7,8tetrachlorodibenzo-p-dioxin, 2089

Steinberg K see Stehr-Green P. 2089 Stieglitz L. and Vogg H. On formation conditions of PCDD/PCDF in fly ash from municipal waste incinerators,

Stokes A see Kagan J. 2417 Stone W see Olafsson P.G. 2585 Stoss F.W see Basu D.K. 2595 Strömberg B see Eklund G. 161 Sturm R see Eder G. 2487 Subramanian A see Tanabe S. 1965 Suissa S see Abenhaim L. 2129 Sun W.-F see Worobey B.L. 1457 Susheela A.K see Jain S.K. 1087

Suskind R.R. Report on Section F morning. Session: Observations in man, 2201

Suzuki J., Hagino T. and Suzuki S. Formation of 1-nitropyrene by photolysis of pyrene in water containing nitrite ion, 859 Suzuki J.,Sato T.,Ito A. and Suzuki

S. Photochemical reaction of biphenyl in water containing nitrite or nitrate ion, 1289 Suzuki S see Suzuki J. 859, 1289 Swanson S.E see Rappe C. 1603 Sweeney S.A see Bennett W.E. 5 Swysen V.E see Van Leemput L.J.J. 1281

Tagawa S see Kaise T. 91, 2551 Tai D.Y see Rathbun R.E. 69

Taillandier G., Tissut M., Ravanel P., Meallier P. and Calmon J.-P. Quantitive relationnships between structure and inhibitory activity on photosynthesis in

three carbamate series, 1347 Takahashi K see Takenaka S. 1419 Takayama K see Miyata H. 1817, see Ogaki J. 2047

Takenaka S., Iida T., Fukamachi K., Mori A., Nakagawa R., Takahashi K. and Asahi M. Levels of polychlorinated quaterphenyl congeners in the adipose tissue of normal subjects, 1419 Takeshita R see Hiraoka M. 1901, see

Tanaka M. 1865

Takizawa Y see Hiraoka M. 1901 Takizawa Y. and Muto H. PCDDs and PCDFs carried to the human body

from the diet, 1971 Taksukawa R see Tanabe S. 1965 Tanabe S see Kannan N. 1631

Tanabe S., Kannan N., Subramanian A., Watanabe S., Ono M. and Taksukawa R. Occurrence and distribution of toxic coplanar

PCBs in the biota, 1965

Tanaka M see Hiraoka M. 1901

Tanaka M. and Takeshita R. Evaluation of 2,3,7,8 TCDD and PCDDs in fly ash from refuse incinerators, 1865

Tarhanen J see Paasivirta J. Tatsukawa R see Kannan N. 1631, see Ono M. 1823, see Watanabe I.

2389, 849
Taylor H.E see Shekiro J.M., Jr. 983
Teal J.M see McElroy A.E. 2429 Thalken C.E see Young A.L. 1791 Thoma H see Hutzinger O. 1877

Thoma H., Hauschulz G. and Hutzinger O. Chlorine-bromine exchange during pyrolysis of 1,2,3,4tetrabromodibenzodioxin with various chlorine donors, 1579 Thoma H., Hauschulz G., Knorr E. and

Hutzinger O. Polybrominated dibenzofurans (PBDF) and dibenzodioxins (PBDD) from the pyrolysis of neat brominated diphenylethers, biphenyls and plastic mixtures of these com-

pounds, 277
Thoma H., Hauschulz G. and Hutzinger O. PVC-Induced chlorine-bromine exchange in the pyrolysis of polybrominated diphenyl ethers, -biphenyls, -dibenzodioxins and dibenzofurans, 297

Thoma H. and Hutzinger O. Pyrolysis and GC/MS-analysis of brominated flame retardants in on-line

operation, 1353 Thomas R.S see Chiu C. 1625 Thorndyke S see Clement R.E. 1895 Tissut M see Taillandier G. 1347 Tomkins B.A see Ma C.Y. 2613 Tong H see Schecter A. 1997 Tosine H.M see Clement R.E. 1895 Townsend D.I see Eduljee G.H. 1841, 1095

Townsend D.I., Lamparski L.L. and Nestrick T.J. Laboratory simulation and potential mechanisms explaining PCDD congener group ratio behavior on particulates from combustion

Travis C.C. and Hattemer-Frey H.A.
Human exposure to 2,3,7,8-TCDD,

Travis C.C., Dennison J.W. and Arms
A.D. The extent of multimedia partitioning of organic chemicals, 117 Tripp B.W see McElroy A.E. 2429

Tsitouridou R see Papachristou E.

Tsuji M see Nakano T. 1781 Tsuji M., Nakano T. and Okuno T. Measurement of combustion

products from liquid PCB waste incinerator, 1889

Tunesi S. and Anderson M.A. Photocatalysis of 3,4-DCB in TiO₂ aqueous suspensions; effects of temperature and light intensity; CIR-FTIR interfacial analysis,

Turk V. Bacteriological con-tamination of the Eastern part of the Gulf of Trieste (North Adriatic) due to sewage discharge, 551

Tuveson R.W see Kagan J. 2417 Tveten G see Benestad C. 813 Tyler G see Falkengren-Grerup U. 2239

Tysklind M see Marklund S. 29, see

Rappe C. 1603

Tysklind M., Marklund S. and Rappe C. Experiences from the Swedish MSW moratorium, 1937

Valkirs A.O., Davidson B.M. and Seligman P.F. Sublethal growth effects and mortality to marine bivalves from long-term exposure to tributyltin, 201 Van Eijk J see Stangl H. 1405

Van Leemput L.J.J., Swysen V.E., Meuldermans W.E.G. and Heykants J.J.P. A laboratory experiment predicting aerial levels of azaconazole following

use in wood preservation, 1281 VanDell R.D. and Boggs G.U. Particulate associated partial combustion products of dichloro-benzene, 973 Vanderlaan M see Stanker L. 1635

Vartiainen T., Liimatainen A., Keränen P., Ala-Peijari T. and Kalliokoski P. Effect of permanganate oxidation and chlorination on the mutagenic activity and other quality parameters of artificially recharged ground water processed from humus-rich surface water, 1489

Veijanen A see Paasivirta J. 123 Velthorst N.H see Baumann R.A. 1123 Vighi M see Bacci E. 1373, see Calamari D. 2359 Vighi M. and Calamari D. A tripara-

metric equation to describe QSARs for heterogeneous chemical substances, 1043 Villeneuve D.C see Astles D.J. 803,

see Schwartz H. 2467 Vincenti M see Barbéni M. 1165

Viswanathan T.S., Weston R.F., Kleopfer R. and Gierthy J.F. The measurement and significance of 1,2,4,5,7,8-hexachloroxanthene in the environment, 869

Vockel D see Scheunert I. 1521, 1031 Vogg H see Stieglitz L. 1917 Voors P.I see Opperhuizen A. 2379,

Voulgaropoulos A., Fytianos K., Apostolopoulou A. and Gounaridou X. Correlation of some organic pollution factors in water systems in Northern Greece, 395 Vowles P.D. and Mantoura R.F.C.

Sediment-water partition coefficients and HPLC retention factors of aromatic hydro-

ractors of aromatic hydro-carbons, 109 Vuorinen M see Paasivirta J. 1231 Vuorinen P see Paasivirta J. 1787 Vuorinen P.J see Paasivirta J. 1231

Waern F see Ahlborg U.G. 1701
Wahlen M see Bush B. 733
Wakimoto T see Kannan N. 1631, see
Ono M. 1823
Walker W.W see Pritchard P.H. 1509
Wallnöfer P.R see Preiss U. 963, see
Zitzelsberger W. 1137
Walsh J see Jones K.H. 2183
Wamhoff H see Ming Y.-f. 1319
Warman K see Oberg T. 2451
Watanabe I., Kashimoto T., Kawano M.
and Tatsukawa R. A study of
organic bound halogens in human
adipose, marine organisms and
sediment by neutron activation

analysis, 849
Watanabe I., Kashimoto T. and
Tatsukawa R. Polybrominated
biphenyl ethers in marine fish,
shellfish and river and marine
sediments in Japan, 2389

and gas chromatographic

biphenyl ethers in marine fish, shellfish and river and marine sediments in Japan, 2389

Watanabe S see Kaise T. 91, see Tanabe S. 1965

Watanabe Y see Hiraoka M. 1901

Watkins B see Stanker L. 1635

Webb K see Stehr-Green P. 2089

Webster G.R.B see Choudhry G.G. 495

Webster T see Connett P. 2079

Weidemann H see Anderson C. 2567

Wellens H see de Morsier A. 833, see

Reynolds L. 2259
Welling L see Paasivirta J. 1231
Weston R.F. see Viswanathan
T.S. 869

Wever H see van den Berg M. 1193 Wiberg K see Rappe C. 1603 Wierich P see Steber J. 1323 Wiersma G.B., Harmon M.E., Baker G.A.

Wiersma G.B., Harmon M.E., Baker G.A. and Greene S.E. Elemental composition of <u>Hylocomium splendens</u> HOH Rainforest, Washington, USA, 2631 Wieser A see Kotzias D. 505
Wiklund K., Holm L.-E. and Dich J.
Soft tissue sarcoma risk among
agricultural and forestry
workers in Sweden, 2107
Wilhelmsson A see Poellinger L. 1681

Wilhelmsson A see Poellinger L. 1001
Wilmes R see Anderson C. 2567
Wittkowski R see Beck H. 1977
Wittlinger R. and Ballschmiter K.
Global baseline pollution
studies XI: congener specific
determination of polychlorinated

determination of polychlorinated biphenyls (PCB) and occurrence of alpha- and gamma-hexachlorocyclohexane (HCH), 4,4'-DDE and 4,4'-DDT in continental air, 2497

Wong G see Clement R.E. 1895
Worobey B.L. and Sun W.-F. Isolation
and identification of chlorpropham and two of its
metabolites in potatoes by GCMS, 1457

Yamauchi F see Yoshida K. 2531 Yasuhara A see Morita M. 1749, 1959 Yasuhara A. and Morita M. Identification of volatile organic components in mussel, 2559

Yemenicioglu S see Salihoglu I. 445 Yemenicioglu S.,Saydam C. and Salihoglu I. Distribution of tin in the Northeastern Mediterranean, 429

Mediterranean, 429
Yilmaz A see Salihoglu I. 381
Yokouchi Y., Ito T. and Ambe Y.
Identification of C₆ - C₁₅ Ylactones in atmospheric
aerosols, 1143

Yoshida K., Shigeoka T. and Yamauchi F. Evaluation of aquatic environmental fate of 2,4,6trichlorophenol with a mathematical model. 2531

mathematical model, 2531
Yoshimura H see Oguri K. 1707
Yoshimura H., Kuroki J. and Koga
N.Unique features of subcellular distribution of 2,3,4,7,8-penta-chlorodibenzofuran in rat liver, 1695

Young A.L., Cockerham L.G. and Thalken C.E. A long-term studys of ecosystem contamination with 2,3,7,8-tetrachlorodibenzo-pdioxin, 1791

Zalewski M.S see Melcer M.E. 1115
Ziegler W see Zitzelsberger W. 1137
Zitzelsberger W., Ziegler W. and
Wallnörer P.R. Stereospecifity
of the degradation of veratrylglycerol-6-2, 4-dichlorophenylether, a model compound for
lignin bound xenobiotic residues
by phanerochaete chrysosporium,
corynebacterium equi and photosensitized riboflavin, 1137

Zouboulis A.I. and Matis K.A. Ion flotation in environmental technology, 623

technology, 623

Zsolnay A see Kotzias D. 1463

Zsolnay A. Spatial and temporal variation of pelagic tar in the Mediterranean sea, 399

Zsürger N. and Breittmayer J.-P.

Zsürger N. and Breittmayer J.-P.
Accumulation du mercure par la
moule: effet de deux facteurs
lies a la chronologie de
l'intoxication, 921

